

1: Hu B, Petela N, Kurze A, Chan KL, Chapard C, Nasmyth K. Biological chromodynamics: a general method for measuring protein occupancy across the genome by calibrating ChIP-seq. *Nucleic Acids Res.* 2015 Jun 30. pii: gkv670. [Epub ahead of print] PubMed PMID: 26130708.

2: Houliard M, Godwin J, Metson J, Lee J, Hirano T, Nasmyth K. Condensin confers the longitudinal rigidity of chromosomes. *Nat Cell Biol.* 2015 Jun;17(6):771-81. doi: 10.1038/ncb3167. Epub 2015 May 11. PubMed PMID: 25961503.

3: Nasmyth K. A meiotic mystery: How sister kinetochores avoid being pulled in opposite directions during the first division. *Bioessays.* 2015 Jun;37(6):657-65. doi: 10.1002/bies.201500006. Epub 2015 Apr 15. PubMed PMID: 25874377.

4: Gligoris TG, Scheinost JC, Bürmann F, Petela N, Chan KL, Uluocak P, Beckouët F, Gruber S, Nasmyth K, Löwe J. Closing the cohesin ring: structure and function of its Smc3-kleisin interface. *Science.* 2014 Nov 21;346(6212):963-7. doi: 10.1126/science.1256917. PubMed PMID: 25414305; PubMed Central PMCID: PMC4300515.

5: Oliveira RA, Kotadia S, Tavares A, Mirkovic M, Bowlin K, Eichinger CS, Nasmyth K, Sullivan W. Centromere-independent accumulation of cohesin at ectopic heterochromatin sites induces chromosome stretching during anaphase. *PLoS Biol.* 2014 Oct 7;12(10):e1001962. doi: 10.1371/journal.pbio.1001962. eCollection 2014 Oct. PubMed PMID: 25290697; PubMed Central PMCID: PMC4188515.

6: Roig MB, Löwe J, Chan KL, Beckouët F, Metson J, Nasmyth K. Structure and function of cohesin's Scc3/SA regulatory subunit. *FEBS Lett.* 2014 Oct 16;588(20):3692-702. doi: 10.1016/j.febslet.2014.08.015. Epub 2014 Aug 27. PubMed PMID: 25171859; PubMed Central PMCID: PMC4175184.

7: Rattani A, Vinod PK, Godwin J, Tachibana-Konwalski K, Wolna M, Malumbres M, Novák B, Nasmyth K. Dependency of the spindle assembly checkpoint on Cdk1 renders the anaphase transition irreversible. *Curr Biol.* 2014 Mar 17;24(6):630-7. doi: 10.1016/j.cub.2014.01.033. Epub 2014 Feb 27. PubMed PMID: 24583015; PubMed Central PMCID: PMC3969274.

8: Tachibana-Konwalski K, Godwin J, Borsos M, Rattani A, Adams DJ, Nasmyth K. Spindle assembly checkpoint of oocytes depends on a kinetochore structure determined by cohesin in meiosis I. *Curr Biol*. 2013 Dec 16;23(24):2534-9. doi: 10.1016/j.cub.2013.10.052. Epub 2013 Nov 27. PubMed PMID: 24291092; PubMed Central PMCID: PMC3898714.

9: Rattani A, Wolna M, Ploquin M, Helmhart W, Morrone S, Mayer B, Godwin J, Xu W, Stemmann O, Pendas A, Nasmyth K. Sgol2 provides a regulatory platform that coordinates essential cell cycle processes during meiosis I in oocytes. *Elife*. 2013 Nov 5;2:e01133. doi: 10.7554/eLife.01133. PubMed PMID: 24192037; PubMed Central PMCID: PMC3816256.

10: Oliveira RA, Nasmyth K. Cohesin cleavage is insufficient for centriole disengagement in *Drosophila*. *Curr Biol*. 2013 Jul 22;23(14):R601-3. doi: 10.1016/j.cub.2013.04.003. PubMed PMID: 23885871.

11: Chan KL, Gligoris T, Upcher W, Kato Y, Shirahige K, Nasmyth K, Beckouët F. Pds5 promotes and protects cohesin acetylation. *Proc Natl Acad Sci U S A*. 2013 Aug 6;110(32):13020-5. doi: 10.1073/pnas.1306900110. Epub 2013 Jul 22. PubMed PMID: 23878248; PubMed Central PMCID: PMC3740900.

12: Eichinger CS, Kurze A, Oliveira RA, Nasmyth K. Disengaging the Smc3/kleisin interface releases cohesin from *Drosophila* chromosomes during interphase and mitosis. *EMBO J*. 2013 Mar 6;32(5):656-65. doi: 10.1038/emboj.2012.346. Epub 2013 Jan 22. PubMed PMID: 23340528; PubMed Central PMCID: PMC3590983.

13: Touati SA, Cladière D, Lister LM, Leontiou I, Chambon JP, Rattani A, Böttger F, Stemmann O, Nasmyth K, Herbert M, Wassmann K. Cyclin A2 is required for sister chromatid segregation, but not separase control, in mouse oocyte meiosis. *Cell Rep*. 2012 Nov 29;2(5):1077-87. doi: 10.1016/j.celrep.2012.10.002. Epub 2012 Nov 1. PubMed PMID: 23122964.

14: Chan KL, Roig MB, Hu B, Beckouët F, Metson J, Nasmyth K. Cohesin's DNA exit

gate is distinct from its entrance gate and is regulated by acetylation. Cell. 2012 Aug 31;150(5):961-74. doi: 10.1016/j.cell.2012.07.028. Epub 2012 Aug 14. PubMed PMID: 22901742; PubMed Central PMCID: PMC3485559.

15: Hunt T, Nasmyth K, Novák B. The cell cycle. Philos Trans R Soc Lond B Biol Sci. 2011 Dec 27;366(1584):3494-7. doi: 10.1098/rstb.2011.0274. PubMed PMID: 22084376; PubMed Central PMCID: PMC3203467.

16: Farcas AM, Uluocak P, Helmhart W, Nasmyth K. Cohesin's concatenation of sister DNAs maintains their intertwinning. Mol Cell. 2011 Oct 7;44(1):97-107. doi: 10.1016/j.molcel.2011.07.034. PubMed PMID: 21981921; PubMed Central PMCID: PMC3240746.

17: Nasmyth K. Cohesin: a catenase with separate entry and exit gates? Nat Cell Biol. 2011 Oct 3;13(10):1170-7. doi: 10.1038/ncb2349. Review. PubMed PMID: 21968990.

18: Seitan VC, Hao B, Tachibana-Konwalski K, Lavagnolli T, Mira-Bontenbal H, Brown KE, Teng G, Carroll T, Terry A, Horan K, Marks H, Adams DJ, Schatz DG, Aragon L, Fisher AG, Krangel MS, Nasmyth K, Merkenschlager M. A role for cohesin in T-cell-receptor rearrangement and thymocyte differentiation. Nature. 2011 Aug 10;476(7361):467-71. doi: 10.1038/nature10312. PubMed PMID: 21832993; PubMed Central PMCID: PMC3179485.

19: Nasmyth K, Oliveira RA. Splitting the nucleus: what's wrong with the tripartite ring model? Cold Spring Harb Symp Quant Biol. 2010;75:375-88. doi: 10.1101/sqb.2010.75.019. Epub 2011 Jan 5. PubMed PMID: 21209385.

20: Kuczera T, Stilling RM, Hsia HE, Bahari-Javan S, Irniger S, Nasmyth K, Sananbenesi F, Fischer A. The anaphase promoting complex is required for memory function in mice. Learn Mem. 2010 Dec 22;18(1):49-57. doi: 10.1101/lm.1998411. Print 2011 Jan. PubMed PMID: 21191042.

21: Hu B, Itoh T, Mishra A, Katoh Y, Chan KL, Upcher W, Godlee C, Roig MB,

Shirahige K, Nasmyth K. ATP hydrolysis is required for relocating cohesin from sites occupied by its Scc2/4 loading complex. *Curr Biol.* 2011 Jan 11;21(1):12-24. doi: 10.1016/j.cub.2010.12.004. Epub 2010 Dec 23. PubMed PMID: 21185190.

22: Kurze A, Michie KA, Dixon SE, Mishra A, Itoh T, Khalid S, Strmecki L, Shirahige K, Haering CH, Löwe J, Nasmyth K. A positively charged channel within the Smc1/Smc3 hinge required for sister chromatid cohesion. *EMBO J.* 2011 Jan 19;30(2):364-78. doi: 10.1038/emboj.2010.315. Epub 2010 Dec 7. PubMed PMID: 21139566; PubMed Central PMCID: PMC3025461.

23: Oliveira RA, Nasmyth K. Getting through anaphase: splitting the sisters and beyond. *Biochem Soc Trans.* 2010 Dec;38(6):1639-44. doi: 10.1042/BST0381639. Review. PubMed PMID: 21118140.

24: Nasmyth K. How far will we see in the future? *Mol Biol Cell.* 2010 Nov 15;21(22):3813-4. doi: 10.1091/mbc.E10-04-0359. PubMed PMID: 21079025; PubMed Central PMCID: PMC2982127.

25: Tachibana-Konwalski K, Godwin J, van der Weyden L, Champion L, Kudo NR, Adams DJ, Nasmyth K. Rec8-containing cohesin maintains bivalents without turnover during the growing phase of mouse oocytes. *Genes Dev.* 2010 Nov 15;24(22):2505-16. doi: 10.1101/gad.605910. Epub 2010 Oct 22. PubMed PMID: 20971813; PubMed Central PMCID: PMC2975927.

26: Pauli A, van Bommel JG, Oliveira RA, Itoh T, Shirahige K, van Steensel B, Nasmyth K. A direct role for cohesin in gene regulation and ecdysone response in *Drosophila* salivary glands. *Curr Biol.* 2010 Oct 26;20(20):1787-98. doi: 10.1016/j.cub.2010.09.006. Epub 2010 Oct 7. PubMed PMID: 20933422.

27: Beckouët F, Hu B, Roig MB, Sutani T, Komata M, Uluocak P, Katis VL, Shirahige K, Nasmyth K. An Smc3 acetylation cycle is essential for establishment of sister chromatid cohesion. *Mol Cell.* 2010 Sep 10;39(5):689-99. doi: 10.1016/j.molcel.2010.08.008. PubMed PMID: 20832721.

28: Hamilton RS, Parton RM, Oliveira RA, Vendra G, Ball G, Nasmyth K, Davis I.

ParticleStats: open source software for the analysis of particle motility and cytoskeletal polarity. *Nucleic Acids Res.* 2010 Jul;38(Web Server issue):W641-6. doi: 10.1093/nar/gkq542. Epub 2010 Jun 11. PubMed PMID: 20542911; PubMed Central PMCID: PMC2896115.

29: Hutchins JR, Toyoda Y, Hegemann B, Poser I, Hériché JK, Sykora MM, Augsbury M, Hudecz O, Buschhorn BA, Bulkescher J, Conrad C, Comartin D, Schleiffer A, Sarov M, Pozniakovsky A, Slabicki MM, Schloissnig S, Steinmacher I, Leuschner M, Ssykor A, Lawo S, Pelletier L, Stark H, Nasmyth K, Ellenberg J, Durbin R, Buchholz F, Mechtler K, Hyman AA, Peters JM. Systematic analysis of human protein complexes identifies chromosome segregation proteins. *Science.* 2010 Apr 30;328(5978):593-9. doi: 10.1126/science.1181348. Epub 2010 Apr 1. PubMed PMID: 20360068; PubMed Central PMCID: PMC2989461.

30: Katis VL, Lipp JJ, Imre R, Bogdanova A, Okaz E, Habermann B, Mechtler K, Nasmyth K, Zachariae W. Rec8 phosphorylation by casein kinase 1 and Cdc7-Dbf4 kinase regulates cohesin cleavage by separase during meiosis. *Dev Cell.* 2010 Mar 16;18(3):397-409. doi: 10.1016/j.devcel.2010.01.014. PubMed PMID: 20230747; PubMed Central PMCID: PMC2994640.

31: Mishra A, Hu B, Kurze A, Beckouët F, Farcas AM, Dixon SE, Katou Y, Khalid S, Shirahige K, Nasmyth K. Both interaction surfaces within cohesin's hinge domain are essential for its stable chromosomal association. *Curr Biol.* 2010 Feb 23;20(4):279-89. doi: 10.1016/j.cub.2009.12.059. Epub 2010 Feb 11. PubMed PMID: 20153193; PubMed Central PMCID: PMC2852676.

32: Oliveira RA, Hamilton RS, Pauli A, Davis I, Nasmyth K. Cohesin cleavage and Cdk inhibition trigger formation of daughter nuclei. *Nat Cell Biol.* 2010 Feb;12(2):185-92. doi: 10.1038/ncb2018. Epub 2010 Jan 17. PubMed PMID: 20081838; PubMed Central PMCID: PMC3284228.

33: Nasmyth K, Haering CH. Cohesin: its roles and mechanisms. *Annu Rev Genet.* 2009;43:525-58. doi: 10.1146/annurev-genet-102108-134233. Review. PubMed PMID: 19886810.

- 34: Xu Z, Cetin B, Anger M, Cho US, Helmhart W, Nasmyth K, Xu W. Structure and function of the PP2A-shugoshin interaction. *Mol Cell*. 2009 Aug 28;35(4):426-41. doi: 10.1016/j.molcel.2009.06.031. PubMed PMID: 19716788; PubMed Central PMCID: PMC2749713.
- 35: Kudo NR, Anger M, Peters AH, Stemmann O, Theussl HC, Helmhart W, Kudo H, Heyting C, Nasmyth K. Role of cleavage by separate of the Rec8 kleisin subunit of cohesin during mammalian meiosis I. *J Cell Sci*. 2009 Aug 1;122(Pt 15):2686-98. doi: 10.1242/jcs.035287. PubMed PMID: 19625504; PubMed Central PMCID: PMC2909317.
- 36: Rowland BD, Roig MB, Nishino T, Kurze A, Uluocak P, Mishra A, Beckouët F, Underwood P, Metson J, Imre R, Mechtler K, Katis VL, Nasmyth K. Building sister chromatid cohesion: smc3 acetylation counteracts an antiestablishment activity. *Mol Cell*. 2009 Mar 27;33(6):763-74. doi: 10.1016/j.molcel.2009.02.028. PubMed PMID: 19328069.
- 37: McGuinness BE, Anger M, Kouznetsova A, Gil-Bernabé AM, Helmhart W, Kudo NR, Wuensche A, Taylor S, Hoog C, Novak B, Nasmyth K. Regulation of APC/C activity in oocytes by a Bub1-dependent spindle assembly checkpoint. *Curr Biol*. 2009 Mar 10;19(5):369-80. doi: 10.1016/j.cub.2009.01.064. Epub 2009 Feb 26. PubMed PMID: 19249208.
- 38: Haering CH, Farcas AM, Arumugam P, Metson J, Nasmyth K. The cohesin ring concatenates sister DNA molecules. *Nature*. 2008 Jul 17;454(7202):297-301. doi: 10.1038/nature07098. Epub 2008 Jul 2. PubMed PMID: 18596691.
- 39: Poser I, Sarov M, Hutchins JR, Hériché JK, Toyoda Y, Pozniakovsky A, Weigl D, Nitzsche A, Hegemann B, Bird AW, Pelletier L, Kittler R, Hua S, Naumann R, Augsburg M, Sykora MM, Hofemeister H, Zhang Y, Nasmyth K, White KP, Dietzel S, Mechtler K, Durbin R, Stewart AF, Peters JM, Buchholz F, Hyman AA. BAC TransgeneOmics: a high-throughput method for exploration of protein function in mammals. *Nat Methods*. 2008 May;5(5):409-15. doi: 10.1038/nmeth.1199. Epub 2008

Apr 6. Erratum in: Nat Methods. 2008 Aug;5(8):748. PubMed PMID: 18391959;
PubMed
Central PMCID: PMC2871289.

40: Pauli A, Althoff F, Oliveira RA, Heidmann S, Schuldiner O, Lehner CF, Dickson BJ, Nasmyth K. Cell-type-specific TEV protease cleavage reveals cohesin functions in *Drosophila* neurons. Dev Cell. 2008 Feb;14(2):239-51. doi: 10.1016/j.devcel.2007.12.009. PubMed PMID: 18267092; PubMed Central PMCID: PMC2258333.

41: Gregan J, Zhang C, Rumpf C, Cipak L, Li Z, Uluocak P, Nasmyth K, Shokat KM. Construction of conditional analog-sensitive kinase alleles in the fission yeast *Schizosaccharomyces pombe*. Nat Protoc. 2007;2(11):2996-3000. PubMed PMID: 18007635; PubMed Central PMCID: PMC2957860.

42: Ivanov D, Nasmyth K. A physical assay for sister chromatid cohesion in vitro. Mol Cell. 2007 Jul 20;27(2):300-10. PubMed PMID: 17643378.

43: Gregan J, Riedel CG, Pidoux AL, Katou Y, Rumpf C, Schleiffer A, Kearsey SE, Shirahige K, Allshire RC, Nasmyth K. The kinetochore proteins Pcs1 and Mde4 and heterochromatin are required to prevent merotelic orientation. Curr Biol. 2007 Jul 17;17(14):1190-200. PubMed PMID: 17627824; PubMed Central PMCID: PMC1931489.

44: Gregan J, Riedel CG, Petronczki M, Cipak L, Rumpf C, Poser I, Buchholz F, Mechtler K, Nasmyth K. Tandem affinity purification of functional TAP-tagged proteins from human cells. Nat Protoc. 2007;2(5):1145-51. PubMed PMID: 17546005; PubMed Central PMCID: PMC2957861.

45: Gregan J, Rabitsch PK, Rumpf C, Novatchkova M, Schleiffer A, Nasmyth K. High-throughput knockout screen in fission yeast. Nat Protoc. 2006;1(5):2457-64. PubMed PMID: 17406492; PubMed Central PMCID: PMC2957175.

46: Gruber S, Arumugam P, Katou Y, Kuglitsch D, Helmhart W, Shirahige K, Nasmyth K. Evidence that loading of cohesin onto chromosomes involves opening of its SMC hinge. Cell. 2006 Nov 3;127(3):523-37. PubMed PMID: 17081975.

47: Arumugam P, Nishino T, Haering CH, Gruber S, Nasmyth K. Cohesin's ATPase activity is stimulated by the C-terminal Winged-Helix domain of its kleisin subunit. *Curr Biol.* 2006 Oct 24;16(20):1998-2008. PubMed PMID: 17055978.

48: Petronczki M, Matos J, Mori S, Gregan J, Bogdanova A, Schwickart M, Mechtler K, Shirahige K, Zachariae W, Nasmyth K. Monopolar attachment of sister kinetochores at meiosis I requires casein kinase 1. *Cell.* 2006 Sep 22;126(6):1049-64. PubMed PMID: 16990132.

49: Kudo NR, Wassmann K, Anger M, Schuh M, Wirth KG, Xu H, Helmhart W, Kudo H, McKay M, Maro B, Ellenberg J, de Boer P, Nasmyth K. Resolution of chiasmata in oocytes requires separase-mediated proteolysis. *Cell.* 2006 Jul 14;126(1):135-46. PubMed PMID: 16839882.

50: Watrin E, Schleiffer A, Tanaka K, Eisenhaber F, Nasmyth K, Peters JM. Human Scc4 is required for cohesin binding to chromatin, sister-chromatid cohesion, and mitotic progression. *Curr Biol.* 2006 May 9;16(9):863-74. PubMed PMID: 16682347.

51: Riedel CG, Katis VL, Katou Y, Mori S, Itoh T, Helmhart W, Gálová M, Petronczki M, Gregan J, Cetin B, Mudrak I, Ogris E, Mechtler K, Pelletier L, Buchholz F, Shirahige K, Nasmyth K. Protein phosphatase 2A protects centromeric sister chromatid cohesion during meiosis I. *Nature.* 2006 May 4;441(7089):53-61. Epub 2006 Mar 15. PubMed PMID: 16541024.

52: Wirth KG, Wutz G, Kudo NR, Desdouets C, Zetterberg A, Taghybeeglu S, Seznec J, Ducos GM, Ricci R, Firnberg N, Peters JM, Nasmyth K. Separase: a universal trigger for sister chromatid disjunction but not chromosome cycle progression. *J Cell Biol.* 2006 Mar 13;172(6):847-60. PubMed PMID: 16533945; PubMed Central PMCID: PMC2063729.

53: Vaur S, Cubizolles F, Plane G, Genier S, Rabitsch PK, Gregan J, Nasmyth K, Vanoosthuyse V, Hardwick KG, Javerzat JP. Control of Shugoshin function during fission-yeast meiosis. *Curr Biol.* 2005 Dec 20;15(24):2263-70. PubMed PMID: 16360688.

- 54: Ivanov D, Nasmyth K. A topological interaction between cohesin rings and a circular minichromosome. *Cell*. 2005 Sep 23;122(6):849-60. PubMed PMID: 16179255.
- 55: Gregan J, Rabitsch PK, Sakem B, Csutak O, Latypov V, Lehmann E, Kohli J, Nasmyth K. Novel genes required for meiotic chromosome segregation are identified by a high-throughput knockout screen in fission yeast. *Curr Biol*. 2005 Sep 20;15(18):1663-9. PubMed PMID: 16169489.
- 56: Nasmyth K, Haering CH. The structure and function of SMC and kleisin complexes. *Annu Rev Biochem*. 2005;74:595-648. Review. PubMed PMID: 15952899.
- 57: Hamant O, Golubovskaya I, Meeley R, Fiume E, Timofejeva L, Schleiffer A, Nasmyth K, Cande WZ. A REC8-dependent plant Shugoshin is required for maintenance of centromeric cohesion during meiosis and has no mitotic functions. *Curr Biol*. 2005 May 24;15(10):948-54. PubMed PMID: 15916952.
- 58: Nasmyth K. How might cohesin hold sister chromatids together? *Philos Trans R Soc Lond B Biol Sci*. 2005 Mar 29;360(1455):483-96. Review. PubMed PMID: 15897174; PubMed Central PMCID: PMC1569479.
- 59: Yanagida M, Nasmyth K. Introduction: dissection and simplification of chromosome segregation. *Philos Trans R Soc Lond B Biol Sci*. 2005 Mar 29;360(1455):481. PubMed PMID: 15897173; PubMed Central PMCID: PMC1569474.
- 60: Nasmyth K. How do so few control so many? *Cell*. 2005 Mar 25;120(6):739-46. Review. PubMed PMID: 15797376.
- 61: McGuinness BE, Hirota T, Kudo NR, Peters JM, Nasmyth K. Shugoshin prevents dissociation of cohesin from centromeres during mitosis in vertebrate cells. *PLoS Biol*. 2005 Mar;3(3):e86. Epub 2005 Mar 1. PubMed PMID: 15737064; PubMed Central PMCID: PMC1054882.
- 62: Katis VL, Matos J, Mori S, Shirahige K, Zachariae W, Nasmyth K. Spo13

facilitates monopolin recruitment to kinetochores and regulates maintenance of centromeric cohesion during yeast meiosis. *Curr Biol.* 2004 Dec 29;14(24):2183-96. PubMed PMID: 15620645.

63: Haering CH, Schoffnegger D, Nishino T, Helmhart W, Nasmyth K, Löwe J. Structure and stability of cohesin's Smc1-kleisin interaction. *Mol Cell.* 2004 Sep 24;15(6):951-64. PubMed PMID: 15383284.

64: Heidmann D, Horn S, Heidmann S, Schleiffer A, Nasmyth K, Lehner CF. The *Drosophila* meiotic kleisin C(2)M functions before the meiotic divisions. *Chromosoma.* 2004 Oct;113(4):177-87. Epub 2004 Jul 30. PubMed PMID: 15375666.

65: Riedel CG, Gregan J, Gruber S, Nasmyth K. Is chromatin remodeling required to build sister-chromatid cohesion? *Trends Biochem Sci.* 2004 Aug;29(8):389-92. Review. PubMed PMID: 15288867.

66: Azzam R, Chen SL, Shou W, Mah AS, Alexandru G, Nasmyth K, Annan RS, Carr SA, Deshaies RJ. Phosphorylation by cyclin B-Cdk underlies release of mitotic exit activator Cdc14 from the nucleolus. *Science.* 2004 Jul 23;305(5683):516-9. PubMed PMID: 15273393.

67: Petronczki M, Chwalla B, Siomos MF, Yokobayashi S, Helmhart W, Deutschbauer AM, Davis RW, Watanabe Y, Nasmyth K. Sister-chromatid cohesion mediated by the alternative RF-CCTf18/Dcc1/Ctf8, the helicase Chl1 and the polymerase-alpha-associated protein Ctf4 is essential for chromatid disjunction during meiosis II. *J Cell Sci.* 2004 Jul 15;117(Pt 16):3547-59. Epub 2004 Jun 29. PubMed PMID: 15226378.

68: Nasmyth K. Changing places. Interview by Graham Tebb. *Curr Biol.* 2004 Jun 22;14(12):R452-3. PubMed PMID: 15203009.

69: Bourbon HM, Aguilera A, Ansari AZ, Asturias FJ, Berk AJ, Bjorklund S, Blackwell TK, Borggreffe T, Carey M, Carlson M, Conaway JW, Conaway RC, Emmons SW, Fondell JD, Freedman LP, Fukasawa T, Gustafsson CM, Han M, He X, Herman PK, Hinnebusch AG, Holmberg S, Holstege FC, Jaehning JA, Kim YJ, Kuras L, Leutz A,

Lis JT, Meisterernest M, Naar AM, Nasmyth K, Parvin JD, Ptashne M, Reinberg D, Ronne H, Sadowski I, Sakurai H, Sipiczki M, Sternberg PW, Stillman DJ, Strich R, Struhl K, Svejstrup JQ, Tuck S, Winston F, Roeder RG, Kornberg RD. A unified nomenclature for protein subunits of mediator complexes linking transcriptional regulators to RNA polymerase II. *Mol Cell*. 2004 Jun 4;14(5):553-7. PubMed PMID: 15175151.

70: Nasmyth K, Schleiffer A. From a single double helix to paired double helices and back. *Philos Trans R Soc Lond B Biol Sci*. 2004 Jan 29;359(1441):99-108. Review. PubMed PMID: 15065662; PubMed Central PMCID: PMC1693308.

71: Katis VL, Galova M, Rabitsch KP, Gregan J, Nasmyth K. Maintenance of cohesin at centromeres after meiosis I in budding yeast requires a kinetochore-associated protein related to MEI-S332. *Curr Biol*. 2004 Apr 6;14(7):560-72. PubMed PMID: 15062096.

72: Rabitsch KP, Gregan J, Schleiffer A, Javerzat JP, Eisenhaber F, Nasmyth K. Two fission yeast homologs of *Drosophila* Mei-S332 are required for chromosome segregation during meiosis I and II. *Curr Biol*. 2004 Feb 17;14(4):287-301. PubMed PMID: 14972679.

73: Dewar H, Tanaka K, Nasmyth K, Tanaka TU. Tension between two kinetochores suffices for their bi-orientation on the mitotic spindle. *Nature*. 2004 Mar 4;428(6978):93-7. Epub 2004 Feb 11. PubMed PMID: 14961024.

74: Wirth KG, Ricci R, Giménez-Abián JF, Taghybeeglu S, Kudo NR, Jochum W, Vasseur-Cognet M, Nasmyth K. Loss of the anaphase-promoting complex in quiescent cells causes unscheduled hepatocyte proliferation. *Genes Dev*. 2004 Jan 1;18(1):88-98. PubMed PMID: 14724179; PubMed Central PMCID: PMC314282.

75: Wiederkehr C, Basavaraj R, Sarrauste de Menthière C, Hermida L, Koch R, Schlecht U, Amon A, Brachat S, Breitenbach M, Briza P, Caburet S, Cherry M, Davis R, Deutschbauer A, Dickinson HG, Dumitrescu T, Fellous M, Goldman A, Grootegoed

JA, Hawley R, Ishii R, Jégou B, Kaufman RJ, Klein F, Lamb N, Maro B, Nasmyth K, Nicolas A, Orr-Weaver T, Philippsen P, Pineau C, Rabitsch KP, Reinke V, Roest H, Saunders W, Schröder M, Schedl T, Siep M, Villeneuve A, Wolgemuth DJ, Yamamoto M, Zickler D, Esposito RE, Primig M. GermOnline, a cross-species community knowledgebase on germ cell differentiation. *Nucleic Acids Res.* 2004 Jan 1;32(Database issue):D560-7. PubMed PMID: 14681481; PubMed Central PMCID: PMC308789.

76: Haering CH, Nasmyth K. Building and breaking bridges between sister chromatids. *Bioessays.* 2003 Dec;25(12):1178-91. Review. PubMed PMID: 14635253.

77: Arumugam P, Gruber S, Tanaka K, Haering CH, Mechtler K, Nasmyth K. ATP hydrolysis is required for cohesin's association with chromosomes. *Curr Biol.* 2003 Nov 11;13(22):1941-53. PubMed PMID: 14614819.

78: Buonomo SB, Rabitsch KP, Fuchs J, Gruber S, Sullivan M, Uhlmann F, Petronczki M, Tóth A, Nasmyth K. Division of the nucleolus and its release of CDC14 during anaphase of meiosis I depends on separase, SPO12, and SLK19. *Dev Cell.* 2003 May;4(5):727-39. PubMed PMID: 12737807.

79: Clyne RK, Katis VL, Jessop L, Benjamin KR, Herskowitz I, Lichten M, Nasmyth K. Polo-like kinase Cdc5 promotes chiasmata formation and cosegregation of sister centromeres at meiosis I. *Nat Cell Biol.* 2003 May;5(5):480-5. PubMed PMID: 12717442.

80: Rabitsch KP, Petronczki M, Javerzat JP, Genier S, Chwalla B, Schleiffer A, Tanaka TU, Nasmyth K. Kinetochore recruitment of two nucleolar proteins is required for homolog segregation in meiosis I. *Dev Cell.* 2003 Apr;4(4):535-48. Erratum in: *Dev Cell.* 2003 Sep;5(3):523. PubMed PMID: 12689592.

81: Schleiffer A, Kaitna S, Maurer-Stroh S, Glotzer M, Nasmyth K, Eisenhaber F. Kleisins: a superfamily of bacterial and eukaryotic SMC protein partners. *Mol Cell.* 2003 Mar;11(3):571-5. PubMed PMID: 12667442.

82: Gruber S, Haering CH, Nasmyth K. Chromosomal cohesin forms a ring. *Cell.* 2003

Mar 21;112(6):765-77. PubMed PMID: 12654244.

83: Petronczki M, Siomos MF, Nasmyth K. Un ménage à quatre: the molecular biology of chromosome segregation in meiosis. *Cell*. 2003 Feb 21;112(4):423-40. Review. PubMed PMID: 12600308.

84: Krylov DM, Nasmyth K, Koonin EV. Evolution of eukaryotic cell cycle regulation: stepwise addition of regulatory kinases and late advent of the CDKs. *Curr Biol*. 2003 Jan 21;13(2):173-7. PubMed PMID: 12546794.

85: Nasmyth K. Segregating sister genomes: the molecular biology of chromosome separation. *Science*. 2002 Jul 26;297(5581):559-65. Review. PubMed PMID: 12142526.

86: Haering CH, Löwe J, Hochwagen A, Nasmyth K. Molecular architecture of SMC proteins and the yeast cohesin complex. *Mol Cell*. 2002 Apr;9(4):773-88. PubMed PMID: 11983169.

87: Ivanov D, Schleiffer A, Eisenhaber F, Mechtler K, Haering CH, Nasmyth K. Ecol is a novel acetyltransferase that can acetylate proteins involved in cohesion. *Curr Biol*. 2002 Feb 19;12(4):323-8. PubMed PMID: 11864574.

88: Tanaka TU, Rachidi N, Janke C, Pereira G, Galova M, Schiebel E, Stark MJ, Nasmyth K. Evidence that the Ipl1-Sli15 (Aurora kinase-INCENP) complex promotes chromosome bi-orientation by altering kinetochore-spindle pole connections. *Cell*. 2002 Feb 8;108(3):317-29. PubMed PMID: 11853667.

89: Nasmyth K. A prize for proliferation. *Cell*. 2001 Dec 14;107(6):689-701. PubMed PMID: 11747804.

90: Siomos MF, Badrinath A, Pasierbek P, Livingstone D, White J, Glotzer M, Nasmyth K. Separase is required for chromosome segregation during meiosis I in *Caenorhabditis elegans*. *Curr Biol*. 2001 Nov 27;11(23):1825-35. PubMed PMID: 11728305.

91: Pereira G, Tanaka TU, Nasmyth K, Schiebel E. Modes of spindle pole body inheritance and segregation of the Bfalp-Bub2p checkpoint protein complex. *EMBO J.* 2001 Nov 15;20(22):6359-70. PubMed PMID: 11707407; PubMed Central PMCID: PMC125717.

92: Nasmyth K. Disseminating the genome: joining, resolving, and separating sister chromatids during mitosis and meiosis. *Annu Rev Genet.* 2001;35:673-745. Review. PubMed PMID: 11700297.

93: Nasmyth K, Schweizer D. Exciting future planned for birthplace of genetics. *Nature.* 2001 Oct 11;413(6856):565. PubMed PMID: 11595914.

94: Rabitsch KP, Tóth A, Gálová M, Schleiffer A, Schaffner G, Aigner E, Rupp C, Penkner AM, Moreno-Borchart AC, Primig M, Esposito RE, Klein F, Knop M, Nasmyth K. A screen for genes required for meiosis and spore formation based on whole-genome expression. *Curr Biol.* 2001 Jul 10;11(13):1001-9. PubMed PMID: 11470404.

95: Sjögren C, Nasmyth K. Sister chromatid cohesion is required for postreplicative double-strand break repair in *Saccharomyces cerevisiae*. *Curr Biol.* 2001 Jun 26;11(12):991-5. PubMed PMID: 11448778.

96: Nasmyth K, Peters JM, Uhlmann F. Splitting the chromosome: cutting the ties that bind sister chromatids. *Novartis Found Symp.* 2001;237:113-33; discussion 133-8, 158-63. Review. PubMed PMID: 11444040.

97: Cosma MP, Panizza S, Nasmyth K. Cdk1 triggers association of RNA polymerase to cell cycle promoters only after recruitment of the mediator by SBF. *Mol Cell.* 2001 Jun;7(6):1213-20. PubMed PMID: 11430824.

98: Alexandru G, Uhlmann F, Mechtler K, Poupart MA, Nasmyth K. Phosphorylation of the cohesin subunit Sccl by Polo/Cdc5 kinase regulates sister chromatid separation in yeast. *Cell.* 2001 May 18;105(4):459-72. PubMed PMID: 11371343.

99: Rao H, Uhlmann F, Nasmyth K, Varshavsky A. Degradation of a cohesin subunit

by the N-end rule pathway is essential for chromosome stability. Nature. 2001 Apr 19;410(6831):955-9. PubMed PMID: 11309624.

100: Tóth A, Rabitsch KP, Gálová M, Schleiffer A, Buonomo SB, Nasmyth K. Functional genomics identifies monopolin: a kinetochore protein required for segregation of homologs during meiosis I. Cell. 2000 Dec 22;103(7):1155-68. PubMed PMID: 11163190.

101: Panizza S, Tanaka T, Hochwagen A, Eisenhaber F, Nasmyth K. Pds5 cooperates with cohesin in maintaining sister chromatid cohesion. Curr Biol. 2000 Dec 14;10(24):1557-64. PubMed PMID: 11137006.

102: Buonomo SB, Clyne RK, Fuchs J, Loidl J, Uhlmann F, Nasmyth K. Disjunction of homologous chromosomes in meiosis I depends on proteolytic cleavage of the meiotic cohesin Rec8 by separin. Cell. 2000 Oct 27;103(3):387-98. PubMed PMID: 11081626.

103: Uhlmann F, Wernic D, Poupart MA, Koonin EV, Nasmyth K. Cleavage of cohesin by the CD clan protease separin triggers anaphase in yeast. Cell. 2000 Oct 27;103(3):375-86. PubMed PMID: 11081625.

104: Tomonaga T, Nagao K, Kawasaki Y, Furuya K, Murakami A, Morishita J, Yuasa T, Sutani T, Kearsey SE, Uhlmann F, Nasmyth K, Yanagida M. Characterization of fission yeast cohesin: essential anaphase proteolysis of Rad21 phosphorylated in the S phase. Genes Dev. 2000 Nov 1;14(21):2757-70. PubMed PMID: 11069892; PubMed Central PMCID: PMC317025.

105: Tanaka T, Fuchs J, Loidl J, Nasmyth K. Cohesin ensures bipolar attachment of microtubules to sister centromeres and resists their precocious separation. Nat Cell Biol. 2000 Aug;2(8):492-9. PubMed PMID: 10934469.

106: Ciosk R, Shirayama M, Shevchenko A, Tanaka T, Toth A, Shevchenko A, Nasmyth K. Cohesin's binding to chromosomes depends on a separate complex consisting of Scc2 and Scc4 proteins. Mol Cell. 2000 Feb;5(2):243-54. PubMed PMID: 10882066.

107: Salah SM, Nasmyth K. Destruction of the securin Pds1p occurs at the onset of anaphase during both meiotic divisions in yeast. *Chromosoma*. 2000;109(1-2):27-34. PubMed PMID: 10855492.

108: Nasmyth K, Peters JM, Uhlmann F. Splitting the chromosome: cutting the ties that bind sister chromatids. *Science*. 2000 May 26;288(5470):1379-85. Review. PubMed PMID: 10827941.

109: Shirayama M, Tóth A, Gálová M, Nasmyth K. APC(Cdc20) promotes exit from mitosis by destroying the anaphase inhibitor Pds1 and cyclin Clb5. *Nature*. 1999 Nov 11;402(6758):203-7. PubMed PMID: 10647015.

110: Tanaka T, Cosma MP, Wirth K, Nasmyth K. Identification of cohesin association sites at centromeres and along chromosome arms. *Cell*. 1999 Sep 17;98(6):847-58. PubMed PMID: 10499801.

111: Zachariae W, Nasmyth K. Whose end is destruction: cell division and the anaphase-promoting complex. *Genes Dev*. 1999 Aug 15;13(16):2039-58. Review. PubMed PMID: 10465783.

112: Klein F, Mahr P, Galova M, Buonomo SB, Michaelis C, Nairz K, Nasmyth K. A central role for cohesins in sister chromatid cohesion, formation of axial elements, and recombination during yeast meiosis. *Cell*. 1999 Jul 9;98(1):91-103. PubMed PMID: 10412984.

113: Knop M, Siegers K, Pereira G, Zachariae W, Winsor B, Nasmyth K, Schiebel E. Epitope tagging of yeast genes using a PCR-based strategy: more tags and improved practical routines. *Yeast*. 1999 Jul;15(10B):963-72. PubMed PMID: 10407276.

114: Uhlmann F, Lottspeich F, Nasmyth K. Sister-chromatid separation at anaphase onset is promoted by cleavage of the cohesin subunit Sccl. *Nature*. 1999 Jul 1;400(6739):37-42. PubMed PMID: 10403247.

115: Novák B, Tóth A, Csikász-Nagy A, Györffy B, Tyson JJ, Nasmyth K. Finishing the cell cycle. *J Theor Biol.* 1999 Jul 21;199(2):223-33. PubMed PMID: 10395816.

116: Seol JH, Feldman RM, Zachariae W, Shevchenko A, Correll CC, Lyapina S, Chi Y, Galova M, Claypool J, Sandmeyer S, Nasmyth K, Deshaies RJ, Shevchenko A, Deshaies RJ. Cdc53/cullin and the essential Hrt1 RING-H2 subunit of SCF define a ubiquitin ligase module that activates the E2 enzyme Cdc34. *Genes Dev.* 1999 Jun 15;13(12):1614-26. PubMed PMID: 10385629; PubMed Central PMCID: PMC316801.

117: Alexandru G, Zachariae W, Schleiffer A, Nasmyth K. Sister chromatid separation and chromosome re-duplication are regulated by different mechanisms in response to spindle damage. *EMBO J.* 1999 May 17;18(10):2707-21. PubMed PMID: 10329618; PubMed Central PMCID: PMC1171353.

118: Cosma MP, Tanaka T, Nasmyth K. Ordered recruitment of transcription and chromatin remodeling factors to a cell cycle- and developmentally regulated promoter. *Cell.* 1999 Apr 30;97(3):299-311. PubMed PMID: 10319811.

119: Grossberger R, Gieffers C, Zachariae W, Podtelejnikov AV, Schleiffer A, Nasmyth K, Mann M, Peters JM. Characterization of the DOC1/APC10 subunit of the yeast and the human anaphase-promoting complex. *J Biol Chem.* 1999 May 14;274(20):14500-7. PubMed PMID: 10318877.

120: Nasmyth K. Separating sister chromatids. *Trends Biochem Sci.* 1999 Mar;24(3):98-104. Review. PubMed PMID: 10203756.

121: Gonzalez I, Buonomo SB, Nasmyth K, von Ahsen U. Ash1 mRNA localization in yeast involves multiple secondary structural elements and Ash1 protein translation. *Curr Biol.* 1999 Mar 25;9(6):337-40. PubMed PMID: 10209099.

122: Nasmyth K. The IMP and European molecular biology: moving the centre eastwards. *Institute of Molecular Pathology. Biol Chem.* 1999 Feb;380(2):113-4. PubMed PMID: 10195416.

123: Novak B, Csikasz-Nagy A, Györffy B, Nasmyth K, Tyson JJ. Model scenarios for

evolution of the eukaryotic cell cycle. *Philos Trans R Soc Lond B Biol Sci.* 1998 Dec 29;353(1378):2063-76. Review. PubMed PMID: 10098216; PubMed Central PMCID: PMC1692434.

124: Tóth A, Ciosk R, Uhlmann F, Galova M, Schleiffer A, Nasmyth K. Yeast cohesin complex requires a conserved protein, *Ecolp(Ctf7)*, to establish cohesion between sister chromatids during DNA replication. *Genes Dev.* 1999 Feb 1;13(3):320-33. PubMed PMID: 9990856; PubMed Central PMCID: PMC316435.

125: Zachariae W, Schwab M, Nasmyth K, Seufert W. Control of cyclin ubiquitination by CDK-regulated binding of *Hct1* to the anaphase promoting complex. *Science.* 1998 Nov 27;282(5394):1721-4. PubMed PMID: 9831566.

126: Uhlmann F, Nasmyth K. Cohesion between sister chromatids must be established during DNA replication. *Curr Biol.* 1998 Oct 8;8(20):1095-101. PubMed PMID: 9778527.

127: Tanaka T, Nasmyth K. Association of RPA with chromosomal replication origins requires an Mcm protein, and is regulated by *Rad53*, and cyclin- and *Dbf4*-dependent kinases. *EMBO J.* 1998 Sep 1;17(17):5182-91. PubMed PMID: 9724654; PubMed Central PMCID: PMC1170846.

128: Ciosk R, Zachariae W, Michaelis C, Shevchenko A, Mann M, Nasmyth K. An *ESP1/PDS1* complex regulates loss of sister chromatid cohesion at the metaphase to anaphase transition in yeast. *Cell.* 1998 Jun 12;93(6):1067-76. PubMed PMID: 9635435.

129: Shirayama M, Zachariae W, Ciosk R, Nasmyth K. The Polo-like kinase *Cdc5p* and the WD-repeat protein *Cdc20p/fizzy* are regulators and substrates of the anaphase promoting complex in *Saccharomyces cerevisiae*. *EMBO J.* 1998 Mar 2;17(5):1336-49. PubMed PMID: 9482731; PubMed Central PMCID: PMC1170482.

130: Zachariae W, Shevchenko A, Andrews PD, Ciosk R, Galova M, Stark MJ, Mann M, Nasmyth K. Mass spectrometric analysis of the anaphase-promoting complex from yeast: identification of a subunit related to cullins. *Science.* 1998 Feb 20;279(5354):1216-9. PubMed PMID: 9469814.

131: Hunt T, Nasmyth K. Cell multiplication. *Curr Opin Cell Biol.* 1997 Dec;9(6):765-7. PubMed PMID: 9425339.

132: Michaelis C, Ciosk R, Nasmyth K. Cohesins: chromosomal proteins that prevent premature separation of sister chromatids. *Cell.* 1997 Oct 3;91(1):35-45. PubMed PMID: 9335333.

133: Pichler S, Piatti S, Nasmyth K. Is the yeast anaphase promoting complex needed to prevent re-replication during G2 and M phases? *EMBO J.* 1997 Oct 1;16(19):5988-97. PubMed PMID: 9312056; PubMed Central PMCID: PMC1170229.

134: Tanaka T, Knapp D, Nasmyth K. Loading of an Mcm protein onto DNA replication origins is regulated by Cdc6p and CDKs. *Cell.* 1997 Aug 22;90(4):649-60. PubMed PMID: 9288745.

135: Long RM, Singer RH, Meng X, Gonzalez I, Nasmyth K, Jansen RP. Mating type switching in yeast controlled by asymmetric localization of *ASH1* mRNA. *Science.* 1997 Jul 18;277(5324):383-7. PubMed PMID: 9219698.

136: Irniger S, Nasmyth K. The anaphase-promoting complex is required in G1 arrested yeast cells to inhibit B-type cyclin accumulation and to prevent uncontrolled entry into S-phase. *J Cell Sci.* 1997 Jul;110 (Pt 13):1523-31. PubMed PMID: 9224769.

137: Nasmyth K, Jansen RP. The cytoskeleton in mRNA localization and cell differentiation. *Curr Opin Cell Biol.* 1997 Jun;9(3):396-400. PubMed PMID: 9159073.

138: McBride HJ, Brazas RM, Yu Y, Nasmyth K, Stillman DJ. Long-range interactions at the *HO* promoter. *Mol Cell Biol.* 1997 May;17(5):2669-78. PubMed PMID: 9111337; PubMed Central PMCID: PMC232117.

139: Xu RM, Koch C, Liu Y, Horton JR, Knapp D, Nasmyth K, Cheng X. Crystal structure of the DNA-binding domain of Mbp1, a transcription factor important in cell-cycle control of DNA synthesis. *Structure.* 1997 Mar 15;5(3):349-58. PubMed PMID: 9083114.

140: Yamashita YM, Peters JM, King RW, Höög C, Kirschner MW, Zachariae W, Shin TH, Galova M, Obermaier B, Nasmyth K. BIME joins the destruction team. Trends Cell Biol. 1997 Feb;7(2):49. PubMed PMID: 17708905.

141: Nasmyth K. Viewpoint: putting the cell cycle in order. Science. 1996 Dec 6;274(5293):1643-5. Review. PubMed PMID: 8984634.

142: Zachariae W, Shin TH, Galova M, Obermaier B, Nasmyth K. Identification of subunits of the anaphase-promoting complex of *Saccharomyces cerevisiae*. Science. 1996 Nov 15;274(5290):1201-4. PubMed PMID: 8895471.

143: Nasmyth K. At the heart of the budding yeast cell cycle. Trends Genet. 1996 Oct;12(10):405-12. Review. PubMed PMID: 8909137.

144: Knapp D, Bhoite L, Stillman DJ, Nasmyth K. The transcription factor Swi5 regulates expression of the cyclin kinase inhibitor p40SIC1. Mol Cell Biol. 1996 Oct;16(10):5701-7. PubMed PMID: 8816483; PubMed Central PMCID: PMC231570.

145: Nasmyth K. A homage to Giardia. Curr Biol. 1996 Sep 1;6(9):1042. PubMed PMID: 8805380.

146: Nasmyth K. Retinoblastoma protein. Another role rolls in. Nature. 1996 Jul 4;382(6586):28-9. PubMed PMID: 8657298.

147: Kovacech B, Nasmyth K, Schuster T. EGT2 gene transcription is induced predominantly by Swi5 in early G1. Mol Cell Biol. 1996 Jul;16(7):3264-74. PubMed PMID: 8668141; PubMed Central PMCID: PMC231320.

148: Piatti S, Böhm T, Cocker JH, Diffley JF, Nasmyth K. Activation of S-phase-promoting CDKs in late G1 defines a "point of no return" after which Cdc6 synthesis cannot promote DNA replication in yeast. Genes Dev. 1996 Jun 15;10(12):1516-31. PubMed PMID: 8666235.

149: Siegmund RF, Nasmyth KA. The *Saccharomyces cerevisiae* Start-specific transcription factor Swi4 interacts through the ankyrin repeats with the mitotic

Clb2/Cdc28 kinase and through its conserved carboxy terminus with Swi6.
Mol Cell Biol. 1996 Jun;16(6):2647-55. PubMed PMID: 8649372; PubMed Central PMCID: PMC231255.

150: Zachariae W, Nasmyth K. TPR proteins required for anaphase progression mediate ubiquitination of mitotic B-type cyclins in yeast. Mol Biol Cell. 1996 May;7(5):791-801. PubMed PMID: 8744951; PubMed Central PMCID: PMC275930.

151: Bobola N, Jansen RP, Shin TH, Nasmyth K. Asymmetric accumulation of Ash1p in postanaphase nuclei depends on a myosin and restricts yeast mating-type switching to mother cells. Cell. 1996 Mar 8;84(5):699-709. PubMed PMID: 8625408.

152: Jansen RP, Dowzer C, Michaelis C, Galova M, Nasmyth K. Mother cell-specific HO expression in budding yeast depends on the unconventional myosin myo4p and other cytoplasmic proteins. Cell. 1996 Mar 8;84(5):687-97. PubMed PMID: 8625407.

153: Koch C, Schleiffer A, Ammerer G, Nasmyth K. Switching transcription on and off during the yeast cell cycle: Cln/Cdc28 kinases activate bound transcription factor SBF (Swi4/Swi6) at start, whereas Clb/Cdc28 kinases displace it from the promoter in G2. Genes Dev. 1996 Jan 15;10(2):129-41. PubMed PMID: 8566747.

154: Cocker JH, Piatti S, Santocanale C, Nasmyth K, Diffley JF. An essential role for the Cdc6 protein in forming the pre-replicative complexes of budding yeast. Nature. 1996 Jan 11;379(6561):180-2. PubMed PMID: 8538771.

155: Dahmann C, Diffley JF, Nasmyth KA. S-phase-promoting cyclin-dependent kinases prevent re-replication by inhibiting the transition of replication origins to a pre-replicative state. Curr Biol. 1995 Nov 1;5(11):1257-69. PubMed PMID: 8574583.

156: Dolznig H, Bartunek P, Nasmyth K, Müllner EW, Beug H. Terminal differentiation of normal chicken erythroid progenitors: shortening of G1 correlates with loss of D-cyclin/cdk4 expression and altered cell size control. Cell Growth Differ. 1995 Nov;6(11):1341-52. PubMed PMID: 8562472.

157: Dirick L, Böhm T, Nasmyth K. Roles and regulation of Cln-Cdc28 kinases at the start of the cell cycle of *Saccharomyces cerevisiae*. *EMBO J.* 1995 Oct 2;14(19):4803-13. PubMed PMID: 7588610; PubMed Central PMCID: PMC394578.

158: Nasmyth K. Evolution of the cell cycle. *Philos Trans R Soc Lond B Biol Sci.* 1995 Sep 29;349(1329):271-81. PubMed PMID: 8577838.

159: Cvrcková F, De Virgilio C, Manser E, Pringle JR, Nasmyth K. Ste20-like protein kinases are required for normal localization of cell growth and for cytokinesis in budding yeast. *Genes Dev.* 1995 Aug 1;9(15):1817-30. PubMed PMID: 7649470.

160: Piatti S, Lengauer C, Nasmyth K. Cdc6 is an unstable protein whose de novo synthesis in G1 is important for the onset of S phase and for preventing a 'reductional' anaphase in the budding yeast *Saccharomyces cerevisiae*. *EMBO J.* 1995 Aug 1;14(15):3788-99. PubMed PMID: 7641697; PubMed Central PMCID: PMC394453.

161: Jans DA, Moll T, Nasmyth K, Jans P. Cyclin-dependent kinase site-regulated signal-dependent nuclear localization of the SW15 yeast transcription factor in mammalian cells. *J Biol Chem.* 1995 Jul 21;270(29):17064-7. PubMed PMID: 7615496.

162: Maher M, Cong F, Kindelberger D, Nasmyth K, Dalton S. Cell cycle-regulated transcription of the CLB2 gene is dependent on Mcm1 and a ternary complex factor. *Mol Cell Biol.* 1995 Jun;15(6):3129-37. PubMed PMID: 7760809; PubMed Central PMCID: PMC230544.

163: Irniger S, Piatti S, Michaelis C, Nasmyth K. Genes involved in sister chromatid separation are needed for B-type cyclin proteolysis in budding yeast. *Cell.* 1995 Apr 21;81(2):269-78. Erratum in: *Cell* 1998 May 1;93(3):487. PubMed PMID: 7736579.

164: Schwob E, Böhm T, Mendenhall MD, Nasmyth K. The B-type cyclin kinase inhibitor p40SIC1 controls the G1 to S transition in *S. cerevisiae*. *Cell.* 1994

Oct 21;79(2):233-44. Erratum in: Cell 1996 Jan 12;84(1):following 174.
PubMed
PMID: 7954792.

165: Amon A, Irniger S, Nasmyth K. Closing the cell cycle circle in yeast: G2 cyclin proteolysis initiated at mitosis persists until the activation of G1 cyclins in the next cycle. Cell. 1994 Jul 1;77(7):1037-50. PubMed PMID: 8020094.

166: Koch C, Nasmyth K. Cell cycle regulated transcription in yeast. Curr Opin Cell Biol. 1994 Jun;6(3):451-9. Review. PubMed PMID: 7917338.

167: Zhu Y, Takeda T, Nasmyth K, Jones N. pct1+, which encodes a new DNA-binding partner of p85cdc10, is required for meiosis in the fission yeast Schizosaccharomyces pombe. Genes Dev. 1994 Apr 15;8(8):885-98. PubMed PMID: 7926774.

168: Nasmyth K, Hunt T. Cell cycle. Dams and sluices. Nature. 1993 Dec 16;366(6456):634-5. PubMed PMID: 8259207.

169: Cvrcková F, Nasmyth K. Yeast G1 cyclins CLN1 and CLN2 and a GAP-like protein have a role in bud formation. EMBO J. 1993 Dec 15;12(13):5277-86. PubMed PMID: 8262070; PubMed Central PMCID: PMC413793.

170: Micklem G, Rowley A, Harwood J, Nasmyth K, Diffley JF. Yeast origin recognition complex is involved in DNA replication and transcriptional silencing. Nature. 1993 Nov 4;366(6450):87-9. PubMed PMID: 8232543.

171: Amon A, Tyers M, Futcher B, Nasmyth K. Mechanisms that help the yeast cell cycle clock tick: G2 cyclins transcriptionally activate G2 cyclins and repress G1 cyclins. Cell. 1993 Sep 24;74(6):993-1007. PubMed PMID: 8402888.

172: Koch C, Moll T, Neuberger M, Ahorn H, Nasmyth K. A role for the transcription factors Mbp1 and Swi4 in progression from G1 to S phase. Science. 1993 Sep 17;261(5128):1551-7. PubMed PMID: 8372350.

173: Schwob E, Nasmyth K. CLB5 and CLB6, a new pair of B cyclins involved in DNA

replication in *Saccharomyces cerevisiae*. *Genes Dev.* 1993 Jul;7(7A):1160-75.
PubMed PMID: 8319908.

174: Moll T, Schwob E, Koch C, Moore A, Auer H, Nasmyth K. Transcription factors important for starting the cell cycle in yeast. *Philos Trans R Soc Lond B Biol Sci.* 1993 Jun 29;340(1293):351-60. PubMed PMID: 8103939.

175: Surana U, Amon A, Dowzer C, McGrew J, Byers B, Nasmyth K. Destruction of the CDC28/CLB mitotic kinase is not required for the metaphase to anaphase transition in budding yeast. *EMBO J.* 1993 May;12(5):1969-78. PubMed PMID: 8491189; PubMed Central PMCID: PMC413418.

176: Nasmyth K. Control of the yeast cell cycle by the Cdc28 protein kinase. *Curr Opin Cell Biol.* 1993 Apr;5(2):166-79. Review. PubMed PMID: 8507488.

177: Nasmyth K. Regulating the HO endonuclease in yeast. *Curr Opin Genet Dev.* 1993 Apr;3(2):286-94. Review. PubMed PMID: 8504254.

178: Errede B, Gartner A, Zhou Z, Nasmyth K, Ammerer G. MAP kinase-related FUS3 from *S. cerevisiae* is activated by STE7 in vitro. *Nature.* 1993 Mar 18;362(6417):261-4. PubMed PMID: 8384702.

179: Tebb G, Moll T, Dowzer C, Nasmyth K. SWI5 instability may be necessary but is not sufficient for asymmetric HO expression in yeast. *Genes Dev.* 1993 Mar;7(3):517-28. PubMed PMID: 8449406.

180: Primig M, Sockanathan S, Auer H, Nasmyth K. Anatomy of a transcription factor important for the start of the cell cycle in *Saccharomyces cerevisiae*. *Nature.* 1992 Aug 13;358(6387):593-7. PubMed PMID: 1386897.

181: Gartner A, Nasmyth K, Ammerer G. Signal transduction in *Saccharomyces cerevisiae* requires tyrosine and threonine phosphorylation of FUS3 and KSS1. *Genes Dev.* 1992 Jul;6(7):1280-92. PubMed PMID: 1628831.

182: Fitch I, Dahmann C, Surana U, Amon A, Nasmyth K, Goetsch L, Byers B, Futcher B. Characterization of four B-type cyclin genes of the budding yeast

Saccharomyces cerevisiae. Mol Biol Cell. 1992 Jul;3(7):805-18. PubMed PMID: 1387566; PubMed Central PMCID: PMC275636.

183: Dirick L, Moll T, Auer H, Nasmyth K. A central role for SWI6 in modulating cell cycle Start-specific transcription in yeast. Nature. 1992 Jun 11;357(6378):508-13. PubMed PMID: 1608451.

184: Amon A, Surana U, Muroff I, Nasmyth K. Regulation of p34CDC28 tyrosine phosphorylation is not required for entry into mitosis in *S. cerevisiae*. Nature. 1992 Jan 23;355(6358):368-71. PubMed PMID: 1731251.

185: Patel G, Nasmyth K, Jones N. A new method for the isolation of recombinant baculovirus. Nucleic Acids Res. 1992 Jan 11;20(1):97-104. PubMed PMID: 1531384; PubMed Central PMCID: PMC310331.

186: Nasmyth K. How do cells control the timing of DNA replication and mitosis? Harvey Lect. 1992-1993;88:141-71. Review. PubMed PMID: 1365873.

187: Moll T, Dirick L, Auer H, Bonkovsky J, Nasmyth K. SWI6 is a regulatory subunit of two different cell cycle START-dependent transcription factors in *Saccharomyces cerevisiae*. J Cell Sci Suppl. 1992;16:87-96. Review. PubMed PMID: 1297653.

188: Lydall D, Ammerer G, Nasmyth K. A new role for MCM1 in yeast: cell cycle regulation of SW15 transcription. Genes Dev. 1991 Dec;5(12B):2405-19. PubMed PMID: 1752436.

189: Taba MR, Muroff I, Lydall D, Tebb G, Nasmyth K. Changes in a SWI4,6-DNA-binding complex occur at the time of HO gene activation in yeast. Genes Dev. 1991 Nov;5(11):2000-13. PubMed PMID: 1936990.

190: Nasmyth K. Cell cycle research proliferates. The Research Institute of Molecular Pathology (I.M.P.). Fourth International Conference on the Control of Proliferation in Normal and Malignant Cells, Vienna, Austria, May 3-5, 1991. New Biol. 1991 Oct;3(10):955-8. PubMed PMID: 1685095.

191: Nasmyth K, Dirick L. The role of SWI4 and SWI6 in the activity of G1 cyclins in yeast. *Cell*. 1991 Sep 6;66(5):995-1013. PubMed PMID: 1832338.

192: Moll T, Tebb G, Surana U, Robitsch H, Nasmyth K. The role of phosphorylation and the CDC28 protein kinase in cell cycle-regulated nuclear import of the S. cerevisiae transcription factor SWI5. *Cell*. 1991 Aug 23;66(4):743-58. PubMed PMID: 1652372.

193: Dirick L, Nasmyth K. Positive feedback in the activation of G1 cyclins in yeast. *Nature*. 1991 Jun 27;351(6329):754-7. PubMed PMID: 1829507.

194: Price C, Nasmyth K, Schuster T. A general approach to the isolation of cell cycle-regulated genes in the budding yeast, *Saccharomyces cerevisiae*. *J Mol Biol*. 1991 Apr 5;218(3):543-56. PubMed PMID: 2016745.

195: Surana U, Robitsch H, Price C, Schuster T, Fitch I, Futcher AB, Nasmyth K. The role of CDC28 and cyclins during mitosis in the budding yeast *S. cerevisiae*. *Cell*. 1991 Apr 5;65(1):145-61. PubMed PMID: 1849457.

196: Nasmyth K, Dirick L, Surana U, Amon A, Cvrckova F. Some facts and thoughts on cell cycle control in yeast. *Cold Spring Harb Symp Quant Biol*. 1991;56:9-20. PubMed PMID: 1840270.

197: Nasmyth KA. FAR-reaching discoveries about the regulation of START. *Cell*. 1990 Dec 21;63(6):1117-20. Review. Erratum in: *Cell* 1991 Mar 8;64(5):following 1046. PubMed PMID: 2261635.

198: Nasmyth K, Adolf G, Lydall D, Seddon A. The identification of a second cell cycle control on the HO promoter in yeast: cell cycle regulation of SWI5 nuclear entry. *Cell*. 1990 Aug 24;62(4):631-47. PubMed PMID: 2167175.

199: Harashima S, Miller AM, Tanaka K, Kusumoto K, Tanaka K, Mukai Y, Nasmyth K, Oshima Y. Mating-type control in *Saccharomyces cerevisiae*: isolation and characterization of mutants defective in repression by al -alpha 2. *Mol Cell Biol*.

1989 Oct;9(10):4523-30. PubMed PMID: 2685555; PubMed Central PMCID: PMC362537.

200: Nagai K, Nakaseko Y, Nasmyth K, Rhodes D. Zinc-finger motifs expressed in *E. coli* and folded in vitro direct specific binding to DNA. *Nature*. 1988 Mar 17;332(6161):284-6. PubMed PMID: 2831463.

201: Stillman DJ, Bankier AT, Seddon A, Groenhout EG, Nasmyth KA. Characterization of a transcription factor involved in mother cell specific transcription of the yeast HO gene. *EMBO J*. 1988 Feb;7(2):485-94. PubMed PMID: 3284746; PubMed Central PMCID: PMC454345.

202: Shore D, Nasmyth K. Purification and cloning of a DNA binding protein from yeast that binds to both silencer and activator elements. *Cell*. 1987 Dec 4;51(5):721-32. PubMed PMID: 3315231.

203: Brand AH, Micklem G, Nasmyth K. A yeast silencer contains sequences that can promote autonomous plasmid replication and transcriptional activation. *Cell*. 1987 Dec 4;51(5):709-19. PubMed PMID: 3315230.

204: Breeden L, Nasmyth K. Similarity between cell-cycle genes of budding yeast and fission yeast and the Notch gene of *Drosophila*. *Nature*. 1987 Oct 15-21;329(6140):651-4. PubMed PMID: 2821408.

205: Nasmyth K, Shore D. Transcriptional regulation in the yeast life cycle. *Science*. 1987 Sep 4;237(4819):1162-70. Review. PubMed PMID: 3306917.

206: Nasmyth K, Sulston J. High-altitude walking with YACs. *Nature*. 1987 Jul 30-Aug 5;328(6129):380-1. PubMed PMID: 3302720.

207: Nasmyth K, Seddon A, Ammerer G. Cell cycle regulation of SW15 is required for mother-cell-specific HO transcription in yeast. *Cell*. 1987 May 22;49(4):549-58. PubMed PMID: 3552251.

208: Nasmyth K, Stillman D, Kipling D. Both positive and negative regulators of HO transcription are required for mother-cell-specific mating-type switching in yeast. *Cell*. 1987 Feb 27;48(4):579-87. PubMed PMID: 3028642.

209: Breeden L, Nasmyth K. Cell cycle control of the yeast HO gene: cis- and trans-acting regulators. Cell. 1987 Feb 13;48(3):389-97. PubMed PMID: 3542227.

210: Shore D, Stillman DJ, Brand AH, Nasmyth KA. Identification of silencer binding proteins from yeast: possible roles in SIR control and DNA replication. EMBO J. 1987 Feb;6(2):461-7. PubMed PMID: 15981337; PubMed Central PMCID: PMC553417.

211: Nasmyth K. The determination of mother cell-specific mating type switching in yeast by a specific regulator of HO transcription. EMBO J. 1987 Jan;6(1):243-8. PubMed PMID: 15981333; PubMed Central PMCID: PMC553383.

212: Nasmyth K. A repetitive DNA sequence that confers cell-cycle START (CDC28)-dependent transcription of the HO gene in yeast. Cell. 1985 Aug;42(1):225-35. PubMed PMID: 3893742.

213: Nasmyth K. At least 1400 base pairs of 5'-flanking DNA is required for the correct expression of the HO gene in yeast. Cell. 1985 Aug;42(1):213-23. PubMed PMID: 3893741.

214: Brand AH, Breeden L, Abraham J, Sternglanz R, Nasmyth K. Characterization of a "silencer" in yeast: a DNA sequence with properties opposite to those of a transcriptional enhancer. Cell. 1985 May;41(1):41-8. PubMed PMID: 3888409.

215: Miller AM, MacKay VL, Nasmyth KA. Identification and comparison of two sequence elements that confer cell-type specific transcription in yeast. Nature. 1985 Apr 18-24;314(6012):598-603. PubMed PMID: 3887184.

216: Breeden L, Nasmyth K. Regulation of the yeast HO gene. Cold Spring Harb Symp Quant Biol. 1985;50:643-50. PubMed PMID: 3938367.

217: Shore D, Squire M, Nasmyth KA. Characterization of two genes required for the position-effect control of yeast mating-type genes. EMBO J. 1984 Dec 1;3(12):2817-23. PubMed PMID: 6098447; PubMed Central PMCID: PMC557771.

218: Miller AM, Nasmyth KA. Role of DNA replication in the repression of silent

mating type loci in yeast. *Nature*. 1984 Nov 15-21;312(5991):247-51.
PubMed PMID:
6390211.

219: Abraham J, Nasmyth KA, Strathern JN, Klar AJ, Hicks JB. Regulation of mating-type information in yeast. Negative control requiring sequences both 5' and 3' to the regulated region. *J Mol Biol*. 1984 Jul 5;176(3):307-31.
PubMed
PMID: 6379190.

220: Miller AM, Sternglanz R, Nasmyth KA. The role of DNA replication in the repression of the yeast mating-type silent loci. *Cold Spring Harb Symp Quant Biol*. 1984;49:105-13. PubMed PMID: 6397296.

221: Nasmyth K. Molecular analysis of a cell lineage. *Nature*. 1983 Apr 21;302(5910):670-6. PubMed PMID: 6339953.

222: Abraham J, Feldman J, Nasmyth KA, Strathern JN, Klar AJ, Broach JR, Hicks JB. Sites required for position-effect regulation of mating-type information in yeast. *Cold Spring Harb Symp Quant Biol*. 1983;47 Pt 2:989-98. PubMed PMID:
6345082.

223: Broach JR, Li YY, Feldman J, Jayaram M, Abraham J, Nasmyth KA, Hicks JB. Localization and sequence analysis of yeast origins of DNA replication. *Cold Spring Harb Symp Quant Biol*. 1983;47 Pt 2:1165-73. PubMed PMID: 6345070.

224: Strathern JN, Klar AJ, Hicks JB, Abraham JA, Ivy JM, Nasmyth KA, McGill C. Homothallic switching of yeast mating type cassettes is initiated by a double-stranded cut in the MAT locus. *Cell*. 1982 Nov;31(1):183-92. PubMed PMID:
6297747.

225: Nasmyth KA. The regulation of yeast mating-type chromatin structure by SIR: an action at a distance affecting both transcription and transposition. *Cell*. 1982 Sep;30(2):567-78. PubMed PMID: 6215985.

226: Nasmyth KA. Molecular genetics of yeast mating type. *Annu Rev Genet*. 1982;16:439-500. Review. PubMed PMID: 6760802.

- 227: Astell CR, Ahlstrom-Jonasson L, Smith M, Tatchell K, Nasmyth KA, Hall BD.
The sequence of the DNAs coding for the mating-type loci of *Saccharomyces cerevisiae*. *Cell*. 1981 Nov;27(1 Pt 2):15-23. PubMed PMID: 7034964.
- 228: Tatchell K, Nasmyth KA, Hall BD, Astell C, Smith M. In vitro mutation analysis of the mating-type locus in yeast. *Cell*. 1981 Nov;27(1 Pt 2):25-35.
PubMed PMID: 6276023.
- 229: Nasmyth KA, Tatchell K, Hall BD, Astell C, Smith M. A position effect in the control of transcription at yeast mating type loci. *Nature*. 1981 Jan 22;289(5795):244-50. PubMed PMID: 6256656.
- 230: Nasmyth KA, Tatchell K, Hall BD, Astell C, Smith M. Physical analysis of mating-type loci in *Saccharomyces cerevisiae*. *Cold Spring Harb Symp Quant Biol*. 1981;45 Pt 2:961-81. PubMed PMID: 7021055.
- 231: Nasmyth K, Nurse P. Cell division cycle mutants altered in DNA replication and mitosis in the fission yeast *Schizosaccharomyces pombe*. *Mol Gen Genet*. 1981;182(1):119-24. PubMed PMID: 6943408.
- 232: Henikoff S, Tatchell K, Hall BD, Nasmyth KA. Isolation of a gene from *Drosophila* by complementation in yeast. *Nature*. 1981 Jan 1;289(5793):33-7. PubMed PMID: 6256646.
- 233: Nasmyth KA, Reed SI. Isolation of genes by complementation in yeast: molecular cloning of a cell-cycle gene. *Proc Natl Acad Sci U S A*. 1980 Apr;77(4):2119-23. PubMed PMID: 6246523; PubMed Central PMCID: PMC348663.
- 234: Nasmyth KA, Tatchell K. The structure of transposable yeast mating type loci. *Cell*. 1980 Mar;19(3):753-64. PubMed PMID: 6244896.
- 235: Williamson VM, Bennetzen J, Young ET, Nasmyth K, Hall BD. Isolation of the structural gene for alcohol dehydrogenase by genetic complementation in yeast. *Nature*. 1980 Jan 10;283(5743):214-6. PubMed PMID: 6985717.
- 236: Nasmyth K, Nurse P, Fraser RS. The effect of cell mass on the cell cycle

timing and duration of S-phase in fission yeast. J Cell Sci. 1979 Oct;39:215-33. PubMed PMID: 528581.

237: Nasmyth KA. Genetic and enzymatic characterization of conditional lethal mutants of the yeast *Schizosaccharomyces pombe* with a temperature-sensitive DNA ligase. J Mol Biol. 1979 May 25;130(3):273-84. PubMed PMID: 469945.

238: Nasmyth KA. A control acting over the initiation of DNA replication in the yeast *Schizosaccharomyces pombe*. J Cell Sci. 1979 Apr;36:155-68. PubMed PMID: 457803.

239: Johnston LH, Nasmyth KA. *Saccharomyces cerevisiae* cell cycle mutant *cdc9* is defective in DNA ligase. Nature. 1978 Aug 31;274(5674):891-3. PubMed PMID: 355897.

240: Nasmyth K. Eukaryotic gene cloning and expression in yeast. Nature. 1978 Aug 24;274(5673):741-3. PubMed PMID: 355889.

241: Nasmyth KA. Temperature-sensitive lethal mutants in the structural gene for DNA ligase in the yeast *Schizosaccharomyces pombe*. Cell. 1977 Dec;12(4):1109-20. PubMed PMID: 597860.

242: Nurse P, Thuriaux P, Nasmyth K. Genetic control of the cell division cycle in the fission yeast *Schizosaccharomyces pombe*. Mol Gen Genet. 1976 Jul 23;146(2):167-78. PubMed PMID: 958201.