

Professor Kirsten Sandvig
Institute for Cancer Research
The Norwegian Radium Hospital
Montebello, 0310 Oslo 3, Norway

*

LIST OF PUBLICATIONS

1. Sandvig, K., Olsnes, S. and Pihl, A. 1976. Kinetics of binding of the toxic lectins abrin and ricin to surface receptors of human cells. **J. Biol. Chem.** 251, 3977-3984.
2. Olsnes, S., Sandvig, K., Refsnes, K. and Pihl, A. 1976. Rates of different steps involved in the inhibition of protein synthesis by the toxic lectins abrin and ricin. **J. Biol. Chem.** 251, 3985- 3992.
3. Olsnes, S., Sandvig, K., Refsnes, K., Fodstad, Ø. and Pihl, A. 1976. Binding and uptake of the toxic lectins abrin and ricin by mammalian cells In Surface membrane receptors. Interfase between cells and their environment. (Bradshaw, R.A., Frazier, W.A., Merrell, R.C., Gottlieb, D.I. and Hogue-Angeletti, R.A.,eds.) Plenum Press, New York, pp. 179-191.
4. Refsnes, K., Haylett, T., Sandvig, K. and Olsnes, S. 1977. Modeccin -a plant toxin inhibiting protein synthesis. **Biochem. Biophys. Res. Commun.** 79, 1176-1183.
5. Sandvig, K., Olsnes, S. and Pihl, A. 1978. Binding, uptake and degradation of the toxic proteins abrin and ricin by cell lines having different sensitivity to the toxins. **Eur. J. Biochem.** 82, 13-23.
6. Sandvig, K., Olsnes, S. and Pihl, A. 1978. Chemical modifications of the toxic lectins abrin and ricin. **Eur. J. Biochem.** 84, 323-331.
7. Sandvig, K., Olsnes, S. and Pihl, A. 1978. Interactions between abrus lectins and Sephadex particles possessing immobilized desialylated fetuin. Model studies of the interactions of lectins with cell surface receptors. **Eur. J. Biochem.** 88, 307-313.
8. Sandvig, K. 1978. Cell density affects the binding of the toxic lectin abrin to

- HeLa cells in monolayer cultures. **FEBS Letters** 89, 233-236.
9. Olsnes, S., Sandvig, K., Eiklid, K. and Pihl, A. 1978. Properties and mechanism of action of the toxic lectin modeccin. Interaction with cell lines resistant to modeccin, abrin and ricin. **J. Supramol. Struct.** 9, 15-25.
 10. Sandvig, K., and Olsnes, S. 1979. Effect of temperature on the uptake, excretion and degradation of abrin and ricin by HeLa cells. **Exp. Cell. Res.** 121, 15-25.
 11. Sandvig, K. 1979. Interaction of the toxic lectins abrin, ricin and modeccin with mammalian cells. Kinetics of binding to surface receptors, Internalization and inactivation of ribosomes. Dissertation. University of Oslo, Norway.
 12. Sandvig, K., Olsnes, S. and Pihl, A. 1979. Inhibitory effect of ammonium chloride and chloroquine on the entry of the toxic lectin modeccin into HeLa cells. **Biochem. Biophys. Res. Commun.** 90, 648-655.
 13. Olsnes, S., Sandvig, K. and Pihl, A. 1979. Structure and properties of the toxic lectin modeccin. In Protides of biological fluids, 27th Colloquium, (H. Peeters, ed.), Pergamon Press, New York, pp. 395-399.
 14. Sandvig, K. 1980. Receptorer for polypeptidhormoner. **Tidsskr. Nor. Lægeforening** 14, 964-970.
 15. Sandvig, K. 1980. Intracellulære mediatorer for polypeptid-hormoner. **Tidsskr. Nor. Lægeforening** 15, 1021- 1023.
 16. Sandvig, K. and Olsnes, S. 1980. Diphtheria toxin entry into cells is facilitated by low pH. **J. Cell. Biol.** 87, 828-832.
 17. Sandvig, K. and Olsnes, S. 1981. Effects of retinoids and phorbol esters on the sensitivity of different cell lines to the polypeptide toxins modeccin, abrin, ricin and diphtheria toxin. **Biochem. J.** 194, 821-827.
 18. Olsnes, S. and Sandvig, K. 1981. Binding and uptake of toxic lectins by cells. In Receptor mediated binding and internalization of toxins and hormones. (Middlebrook, J.L., and Kohn, L.D., eds.) Academic Press, New York, pp. 81-94.
 19. Sandvig, K. and Olsnes, S. 1981. Rapid entry of nicked diphtheria toxin into cells at low pH. Characterization of the entry process and effects of low pH on the toxin molecule. **J. Biol. Chem.** 256, 9068-9076.
 20. Olsnes, S., Haylett, T. and Sandvig, K. 1982. The toxic lectin modeccin. **Methods in Enzymology** 83, 357-362.
 21. Sandvig, K. and Olsnes, S. 1982. Entry of the toxic proteins abrin, modeccin,

- ricin and diphtheria toxin into cells. I Requirement for calcium. **J. Biol. Chem.** 257, 7495-7503.
22. Sandvig, K. and Olsnes, S. 1982 Entry of the toxic proteins abrin, modeccin, ricin and diphtheria toxin into cells. II Effect of pH, metabolic inhibitors, and ionophores and evidence for toxin penetration from endocytotic vesicles. **J. Biol. Chem.** 257, 7504-7513.
23. Sundan, A., Olsnes, S., Sandvig, K. and Pihl, A., 1982. Preparation and properties of chimaeric toxins prepared from the constituent polypeptides of diphtheria toxin and ricin. Evidence for entry of ricin A-chain via the diphtheria toxin pathway. **J. Biol. Chem.** 257, 9733-9739.
24. Olsnes, S., Stirpe, F., Sandvig, K. and Pihl, A. 1982. Isolation and characterization of viscumin, a toxic lectin from Viscum Album L. (Mistletoe). **J. Biol. Chem.** 257, 13263-13270.
25. Stirpe, F., Sandvig, K., Olsnes, S., and Pihl, A. 1982. Action of the mistletoe lectin, viscumin, on cells in culture. **J. Biol. Chem.** 257, 13271-13277.
26. Olsnes, S. and Sandvig, K., 1983. Entry of toxic proteins into cells. In Receptor-mediated endocytosis, receptors and recognition, Series B. Vol. 15. (Cuatrecasas, P. and Roth, T.F., eds.) Chapman and Hall, London, pp. 187-236.
27. Olsnes, S. and Sandvig, K., 1983. Selective cell killing by toxin conjugates. In Proceedings of the 5th European symposium on animal plant & microbial toxins (Mebs, D. and Habermehl, G., eds.) International society on toxinology, European section, Hannover, pp. 17-22.
28. Sundan, A., Sandvig, K. and Olsnes, S., 1983. Dansylcadaverine eliminates calmodulin stimulation of phosphodiesterase. **Biochem. Biophys. Res. Commun.** 117, 562-567.
29. Sundan, A., Sandvig, K. and Olsnes, S., 1983. Preparation and properties of a hybrid toxin of modeccin A-chain and ricin B-chain. **Biochim. Biophys. Acta.** 761, 296-302.
30. Sandvig, K. and Olsnes, S. 1984. Receptor-mediated entry of protein toxins into cells. **Acta Histochemica. Suppl.-Band XXIX**, 79-94.
31. Sundan, A., Sandvig, K. and Olsnes, S., 1984. Calmodulin antagonists sensitize cells to Pseudomonas toxin. **J. Cell. Physiol.** 119, 15-22.
32. Sandvig, K., Sundan, A. and Olsnes, S. 1984. Evidence that diphtheria toxin and modeccin enter the cytosol from different vesicular compartments. **J. Cell. Biol.** 98, 963-970.
33. Sandvig, K., Sundan, A. and Olsnes, S., 1984. Entry of toxic proteins into

- cells. In Protein synthesis (Abraham, A.K., Eikholm, T.S., and Pryme, I.F., eds.) The Humana Press, pp. 253-285.
34. Sandvig, K. and Olsnes, S., 1984. Anion requirements and effect of anion transport inhibitors on the response of Vero cells to diphtheria toxin and modeccin. **J. Cell. Physiol.** 119, 7-14.
 35. Madshus, I.H., Olsnes, S. and Sandvig, K., 1984. Mechanism of entry into the cytosol of poliovirus type 1: Requirement for low pH. **J. Cell Biol.** 98, 1194-1200.
 36. Sandvig, K. Madshus, I.H. and Olsnes, S. 1984. Dimethylsulfoxide protects cells against polypeptide toxins and poliovirus. **Biochem. J.** 219, 935-940.
 37. Madshus, I.H., Olsnes, S. and Sandvig, K. 1984. Requirements for entry of poliovirus RNA into cells at low pH. **EMBO. J.** 3, 1945-1950.
 38. Madshus, I.H., Olsnes, S. and Sandvig, K., 1984. Different pH-requirements for entry of the two picornaviruses, human rhinovirus 2 and murine encephalomyocarditis virus. **Virology** 139, 346-357.
 39. Sundan, A., Sandvig, K. and Olsnes, S. 1984. Effect of malignant transformation, retinoic acid, trifluoperazine, and N-(6-aminoethyl)-5-chloro-1-napthalene sulfonamide (W7) on the sensitivity of rodent Cells to Pseudomonas toxin. **Cancer Res.** 44, 4919-4923.
 40. Olsnes, S. and Sandvig, K. 1985. Entry of polypeptide toxins into animal cells. In Endocytosis (Pastan, I. and Willingham, M., eds.), Plenum Publishing Corporation, pp. 195-234.
 41. Guillemot, J.C., Sundan, A., Olsnes, S. and Sandvig, K. 1985. Entry of diphtheria toxin linked to concanavalin A into primate and murine cells. **J. Cell. Physiol.** 122, 193-199.
 42. Olsnes, S., Sandvig, K., Sundan, A., Eiklid, K. and Pihl, A. 1985. How do proteins kill cells? In Receptor-mediated targeting of drugs (Gregoriadis, G., Poste, G., Senior, J. and Trouet, A., eds.) Plenum Publishing Corporation, pp. 87-104.
 43. Sandvig, K. and Olsnes, S. 1985. Effect of the chaotropic anions thiocyanate and perchlorate on the entry of ricin into Vero cells. **Biochem. J.** 228, 521-523.
 44. Sandvig, K., and Olsnes, S. 1985. Effect of potassium depletion of cells on the sensitivity to diphtheria toxin and pseudomonas toxin. **J. Cell. Physiol.** 124, 54-60.
 45. van Deurs, B., Ryde Pedersen, L., Sundan, A., Olsnes, S., and Sandvig, K.

1985. Receptor-mediated endocytosis of ricin: Intracellular routing to vacuolar and tubulo-vesicular portions of the endosomal system visualized by a ligand-gold conjugate. **Exp. Cell Res.** 159, 287-304.
46. Olsnes, S., Carvajal, E., Sundan, A. and Sandvig, K. 1985. Evidence that membrane phospholipids and protein are required for binding of diphtheria toxin in Vero cells. **Biochem. Biophys. Acta** 846, 334-341.
 47. Madshus, I.H., Sandvig, K. and Olsnes, S. 1985. Tumor-promoting phorbol esters and vanadate alter the sensitivity of HeLa S₃ cells to poliovirus. **Exp. Cell. Res.** 160, 240-244.
 48. Olsnes, S., Sandvig, K., Madshus, I.H. and Sundan, A. 1985. Entry mechanisms of protein toxins and picornaviruses. **Biochem. Soc. Symp.** 50, 171-192.
 49. Stirpe, F., Barbieri, L., Abbondanza, A., Falasca, A.I., Brown, A.N.F., Sandvig, K., Olsnes, S. and Pihl, A. 1985. Volkensin, a new toxin with lectin properties purified from the roots of Adenia volkensii. **J. Biol. Chem.** 260, 14589-14595.
 50. van Deurs, B., Tønnessen, T. I., Petersen, O. W., Sandvig, K. and Olsnes, S. 1986. Routing of internalized ricin and ricin conjugates to the Golgi complex. **J. Cell Biol.** 102, 37-47.
 51. Olsnes, S. and Sandvig, K. 1986. Interactions between diphtheria toxin entry and anion transport in Vero cells. I. Anion antiport in Vero cells. **J. Biol. Chem.** 261, 1542-1552.
 52. Olsnes, S. and Sandvig, K. 1986. Interactions between diphtheria toxin entry and anion transport in Vero cells. II. Inhibition of anion antiport by diphtheria toxin. **J. Biol. Chem.** 261, 1553-1561.
 53. Olsnes, S., Carvajal, E. and Sandvig, K. 1986. Interactions between diphtheria toxin entry and anion transport in Vero cells. III. Effect on toxin binding and anion transport of tumor promoting phorbol esters, vanadate, fluoride and salicylate. **J. Biol. Chem.** 261, 1562-1569.
 54. Sandvig, K. and Olsnes, S. 1986. Interactions between diphtheria toxin entry and anion transport in Vero cells. IV. Evidence that entry of diphtheria toxin is dependent on efficient anion transport. **J. Biol. Chem.** 261, 1570-1575.
 55. Sandvig, K. and Olsnes, S. 1986. Entry of protein toxins into cells. In Zentralblatt für Bakteriologie, Mikrobiologie und Hygiene I. Abteilung, Supplement 15 (Falmagne, P., Alouf, J.E., Fehrenbach, F.J., Jeljaszewicz, J., and Thelestam, M., eds.), Gustav Fischer, Stuttgart, pp. 195-205.
 56. Sandvig, K. and Olsnes, S. 1986. Mechanisms of intoxication by protein

- toxins. In Natural toxins; Animal, plant, and microbial (Harris, J.B., ed.), Clarendon Press, Oxford, pp. 175-188.
57. Sandvig, K., Tønnessen, T.I. and Olsnes, S. 1986. Ability of inhibitors of glycosylation and protein synthesis to sensitize cells to abrin, ricin, shigella toxin and pseudomonas toxin. **Cancer Res.** 46, 6418-6422.
 58. Olsnes, S., Tønnessen, T.I. and Sandvig, K. 1986. pH-regulated anion antiport in nucleated mammalian cells. **J. Cell Biol.** 102, 967-971.
 59. Sandvig, K. and Olsnes, S. 1986. Entry of protein toxins into cells. In Protein tailoring for food and medical uses (Feeney, R.E., and Whitaker, J.R. eds.) Marcel Dekker, Inc., New York, pp. 271-290.
 60. Olsnes, S., Madshus, I.H. and Sandvig, K. 1986. Entry mechanisms of picornaviruses. In Virus attachment and entry into cells (Crowell, R.L., and LonbergHolm, K., eds.) American society for microbiology, Washington, pp. 171-181.
 61. Sandvig, K., Tønnessen, T.I., Sand, O., and Olsnes, S. 1986. Requirement of a transmembrane pH-gradient for the entry of diphtheria toxin into cells at low pH. **J. Biol. Chem.** 261, 11639-11644.
 62. Madshus, I. H., Sandvig, K. and Olsnes, S. 1986. Hvordan infiserer virus humane og animalske celler? **Farmakoterapi** 2, 33-42.
 63. Olsnes, S., Stenmark, H., Moskaug, J.Ø. and Sandvig, K. 1986. Binding and uptake of diphtheria toxin by sensitive cells. Proc. IXth Int. congress of infect. and parasit. diseases. In Parasitic infections, immunology, macotic infections, general topics Vol. III (Marget, W., Lang, W., and Gabler-Sandberger, E., eds.) MMV Medizin Verlag München, pp. 229-232.
 64. Madshus, I. H., Tønnessen, T. I., Olsnes, S. and Sandvig, K. 1987. Effect of potassium depletion of Hep 2 cells on intracellular pH and on chloride uptake by anion antiport. **J. Cell. Physiol.** 131, 6-13.
 65. Madshus, I. H., Sandvig, K., Olsnes, S. and van Deurs, B. 1987. Effect of reduced endocytosis induced by hypotonic shock and potassium depletion on the infection of Hep 2 cells by picornaviruses. **J. Cell. Physiol.** 131, 14-22.
 66. Sandvig, K. and Brown, J. E. 1987. Ionic requirements for entry of Shiga toxin from *Shigella dysenteriae* I into cells. **Infect. Immun.** 55, 298-303.
 67. Olsnes, S., Tønnessen, T. I., Ludt, J. and Sandvig, K. 1987. Effect of intracellular pH on the rate of chloride uptake and efflux in different mammalian cell lines. **Biochemistry** 26, 2778-2785.
 68. van Deurs, B., Petersen, O.W., Olsnes, S. and Sandvig, K. 1987. Delivery of

- internalized ricin from endosomes to cisternal Golgi elements is a discontinuous, temperature sensitive process. **Exp. Cell. Res.** 171, 137-152.
69. Aarnes, C.M., Madshus, I.H., Guillemot, J.C., Sandvig, K. and Olsnes, S. 1987. Formation and activity of covalent conjugates of poliovirus and ligands binding to cell surface structures. **Exp. Cell Res.** 170, 483-490.
 70. Sandvig, K. and Moskaug, J.Ø. 1987. Pseudomonas toxin binds Triton X-114 at low pH. **Biochem. J.** 245, 899-901.
 71. Tønnessen, T. I., Ludt, J., Sandvig, K. and Olsnes, S. 1987. Bicarbonate/chloride antiport in Vero cells. I. Evidence for both sodium linked and sodium independent exchange. **J. Cell. Physiol.** 132, 183-191.
 72. Olsnes, S., Ludt, J., Tønnessen, T.I. and Sandvig, K. 1987. Bicarbonate/chloride antiport in Vero Cells. II. Mechanisms for bicarbonate-dependent regulation of intracellular pH. **J. Cell. Physiol.** 132, 192-202.
 73. Olsnes, S., Moskaug, J.Ø., Stenmark, H., Tønnessen, T. I., Madshus, I. H. and Sandvig, K. 1987. Mechanisms involved in toxin entry into cells. In Membrane-mediated cytotoxicity. Proc. of a Cetus-UCLA symposium, Park City, Utah, March 9-16, 1986. (Bonavida, B. and Collier, R.J., eds.), Alan R. Liss, Inc., New York, pp. 83-93.
 74. Sandvig, K., Olsnes, S., Petersen, O.W. and van Deurs, B. 1987. Acidification of the cytosol inhibits endocytosis from coated pits. **J. Cell Biol.** 105, 679-689.
 75. Moskaug, J.Ø., Sandvig, K. and Olsnes. S. 1987. Cell-mediated reduction of the inter-fragment disulfide in nicked diphtheria toxin. A new system to study toxin entry at low pH. **J. Biol. Chem.** 262, 10339-10345.
 76. Sandvig, K., Olsnes, S., Petersen, O.W., and van Deurs, B. 1988. Inhibition of endocytosis from coated pits by acidification of the cytosol. **J. Cell. Biochem.** 36, 73-81.
 77. Olsnes, S., Moskaug, J.Ø., Stenmark, H. and Sandvig, K. 1988. Diphtheria toxin entry: protein translocation in the reverse direction. **Trends. Biochem. Sci.** 13, 348-351.
 78. Olsnes, S. and Sandvig, K. How protein toxins enter and kill cells. 1988. In Immunotoxins (Frankel, A.E., ed.) Kluwer Academic Publishers, Boston, pp. 39-73.
 79. Holtskog, R., Sandvig, K. and Olsnes, S. 1988. Characterization of a toxic lectin in Iscador^R, a mistletoe preparation with alleged cancerostatic properties. **Oncology** 45, 172-179.

80. Sandvig, K., Olsnes, S., Petersen, O.W. and van Deurs, B. 1988. Mechanisms involved in intracellular routing and membrane penetration of protein toxins. In *Bacterial Protein Toxins* (Fehrenbach et al., eds.), Zbl. Bakt. Suppl. 17, 135-142.
81. Stenmark, H., Jacobsen, J., Olsnes, S. and Sandvig, K. 1988. Preparation of monoclonal antibodies against diphtheria toxin receptor. In *Bacterial Protein Toxins* (Fehrenbach et al., eds.), Zbl. Bakt. Suppl. 17, 117-118.
82. Moskaug, J.Ø., Sandvig, K. and Olsnes, S. 1988. Low pH-induced release of diphtheria toxin fragment A to the cytosol. In *Bacterial Protein Toxins* (Fehrenbach et al., eds.), Zbl. Bakt. Suppl. 17, 87-94.
83. Moskaug, J.Ø., Sandvig, K. and Olsnes, S. 1988. Low pH-induced release of diphtheria toxin A-fragment to the cytosol in Vero cells. Biochemical evidence for transfer to the cytosol. **J. Biol. Chem.** 263, 2518-2525.
84. van Deurs, B., Sandvig, K., Petersen, O.W., Olsnes, S., Simons, K. and Griffiths, G. 1988. Estimation of the amount of internalized ricin that reaches the trans Golgi network. **J. Cell Biol.** 106, 253-267.
85. Reinertsen, K.V., Tønnessen, T.I., Jacobsen, J., Sandvig, K. and Olsnes, S. 1988. Role of chloride/bicarbonate transport in the control of cytosolic pH. Cell-line differences in activity and regulation of antiport. **J. Biol. Chem.** 263, 11117-11125.
86. Stenmark, H., Olsnes, S. and Sandvig, K. 1988. Requirement of specific receptors for efficient translocation of diphtheria toxin A-fragment across the plasma membrane. **J. Biol. Chem.** 263, 13449-13455.
87. Sandvig, K. and Olsnes, S. 1988. Diphtheria toxin induced channels in Vero cells selective for monovalent cations. **J. Biol. Chem.** 263, 12352-12359.
88. Olsnes, S., Moskaug, J.Ø., Stenmark, H. and Sandvig, K. 1988. Bacterial and plant toxins with intracellular targets - do they mimic entry of physiologically important molecules? In *Molecular mimicry in health and disease*. (Lernmark, Å., Dyrberg, T., Terenius, L., and Høkfelt, B., eds.), Elsevier Science Publishers B. V., pp. 197-210.
89. Olsnes, S., Stenmark, H., McGill, S., Hovig, E., Collier, R.J. and Sandvig, K. 1989. Formation of active diphtheria toxin in vitro based on ligated fragments of cloned mutant genes. **J. Biol. Chem.** 264, 12749-12751.
90. Tønnessen, T.I., Aas, A.T., Sandvig, K. and Olsnes, S. 1989. Effect of anti-inflammatory analgesic drugs on the regulation of cytosolic pH by anion antiport. **J. Pharmacol. Exp. Ther.** 248, 1197-1206.
91. Sandvig, K., Olsnes, S., Brown, J.E., Petersen, O.W. and van Deurs, B. 1989.

- Rapid endocytosis from coated pits of Shiga toxin, - a glycolipid-binding protein from *Shigella dysenteriae* 1. **J. Cell Biol.** 108, 1331-1343.
92. Sandvig, K., Olsnes, S., Petersen, O.W. and van Deurs, B. 1989. Control of coated pit function by cytoplasmic pH. In *Meth. Cell Biol.* vol.32, (Tartakoff, A.M., ed.), Academic Press, Inc., New York, pp. 365-382.
 93. van Deurs, B., Petersen, O.W., Sandvig, K. and Olsnes, S. 1989. Endocytose, intracellulær transport og sortering af proteiner. **Nord. Med.** 103, 9-11.
 94. Tønnessen, T.I., Aas, A.T., Sandvig, K. and Olsnes, S. 1989. Inhibition of chloride/bicarbonate antiports in monkey kidney cells (Vero) by non-steroidal anti-inflammatory drugs. **Biochem. Pharmacol.** 38, 3583-3591.
 95. Moskaug, J.Ø., Sletten, K., Sandvig, K. and Olsnes, S. 1989. Translocation of diphtheria toxin A-fragment to the cytosol. Role of the site of interfragment cleavage. **J. Biol. Chem.** 264, 15709-15713.
 96. van Deurs, B., Petersen, O.W., Olsnes, S. and Sandvig, K. 1989. The ways of endocytosis. **Int. Rev. Cyt.** 117, 131-177.
 97. Hansen, S.H., Petersen, O.W., Sandvig, K., Olsnes, S. and van Deurs, B. 1989. Internalized ricin and the plasma membrane glycoprotein MAM-6 colocalizes in the trans-Golgi network of T47D human breast carcinoma cells. **Exp. Cell Res.** 185, 373-386.
 98. Moskaug, J.Ø., Sandvig, K. and Olsnes, S. 1989. Role of anions in low pH-induced translocation of diphtheria toxin. **J. Biol. Chem.** 264, 11367-11372.
 99. McGill, S., Stenmark, H., Sandvig, K. and Olsnes, S. 1989. Membrane interactions of diphtheria toxin analyzed using in vitro synthesised mutants. **EMBO J.** 8, 2843-2848.
 100. Stenmark, H., McGill, S., Olsnes, S. and Sandvig, K. 1989. Permeabilization of the plasma membrane by deletion mutants of diphtheria toxin. **EMBO J.** 8, 2849-2853.
 101. Olsnes, S., Sandvig, K., Petersen, O.W. and van Deurs, B. 1989. Immunotoxins - their entry into cells and mechanism of action. **Immunol. Today** 10, 291-295.
 102. van Deurs, B., Sandvig, K., Petersen, O.W. and Olsnes, S. Endocytosis and intracellular sorting of ricin. 1990. In *Trafficking of bacterial toxins* (Saelinger, C.B., ed.) CRC Press, Boca Raton, FL, pp. 91-119.
 103. Tønnessen, T.I., Sandvig, K. and Olsnes, S. 1990. Role of Na^+/H^+ and $\text{Cl}^-/\text{HCO}_3^-$ antiports in the regulation of cytosolic pH near neutrality in Vero cells. **Am. J. Physiol.** 258, C1117-C1126.

104. Olsnes, S., Moskaug, J.Ø., Stenmark, H. and Sandvig, K. 1990. Translocation of diphtheria toxin to the cytosol and formation of cation selective channels. **J. Physiol.** 84, 191-196.
105. Sandvig, K. and van Deurs, B. 1990. Selective modulation of the endocytic uptake of ricin and fluid phase markers without alteration in transferrin endocytosis. **J. Biol. Chem.** 265, 6382-6388.
106. van Deurs, B., Hansen, S.H., Petersen, O.W., Melby, E.L. and Sandvig, K. 1990. Endocytosis, intracellular transport and transcytosis of the toxic protein ricin by a polarized epithelium **Eur. J. Cell Biol.** 51, 96-109.
107. Olsnes, S., Stenmark, H., Moskaug, J.Ø. Madshus, I.H. and Sandvig, K. 1990. Protein toxins with intracellular action. **Microb. Pathogen.** 8, 163-168.
108. Olsnes, S., Moskaug, J.Ø., Stenmark, H., McGill, S. and Sandvig, K. 1990. Translocation of diphtheria toxin across the plasma membrane. In *Bacterial Protein Toxins* (Rappuoli, R., Alouf, J.E., Falmagne, P., Fehrenbach, F.J., Freer, J., Gross, R., Jeljaszewicz, J., Montecuccu, C., Tomasi, M., Wadström, T., and Witholt, B., eds.) Gustav Fischer Verlag, Stuttgart, pp.127-135.
109. Melby, E.L., Sandvig, K., Petersen, O.W., Hansen, S.H. and van Deurs, B. 1990. Endocytosis and intracellular transport of ricin in polarized MDCK epithelial cells. In "Bacterial Protein Toxins" (Rappuoli et al., eds), Gustav Fisher Verlag, Stuttgart-New York, 167-168.
110. Stenmark, H., McGill, S., Sandvig, K., Collier, R.J. and Olsnes, S. 1990. Receptor binding and membrane translocation of in vitro translated diphtheria toxin mutants. In "Bacterial Protein Toxins", (Rappuoli et al., eds.) Gustav Fisher Verlag, Stuttgart-New York, pp. 195-196.
111. Moskaug, J.Ø., Stenmark, H., Sandvig, K. and Olsnes, S. 1990. Requirements for diphtheria toxin A-fragment translocation into the cytosol. In "Bacterial Protein Toxins" (Rappuoli et al., eds.), Gustav Fisher Verlag, Stuttgart-New York, pp. 191-192.
112. Lüdt, J., Tønnessen, T.I., Sandvig, K. and Olsnes, S. 1991. Effect of the phorbol ester, TPA, on regulation of intracellular pH by $\text{Cl}^-/\text{HCO}_3^-$ antiport. **J. Membr. Biol.** 119, 179-186.
113. Sandvig, K. and van Deurs, B. 1991. Endocytosis without clathrin. **Cell Biol. Int. Rep.** 15, 3-8.
114. Melby, E.L., Prydz, K., Olsnes, S. and Sandvig, K. 1991. Effect of monensin on ricin and fluid phase transport in polarized MDCK cells. **J. Cell Biochem.** 47, 251-260.

115. Olsnes, S., Kozlov, J.V., van Deurs, B. and Sandvig, K. 1991. Bacterial protein toxins acting on intracellular targets. **Seminars in Cell Biol.** 2, 7-14.
116. Olsnes, S., Sandvig, K. and van Deurs, B. Shigella toxin and related proteins - translocation to the cytosol and mechanism of action. 1991. In "Molecular pathogenesis of gastrointestinal infections" (Wadstrom, T., Mäkelä, P.H., Svennerholm, A.-M., and Wolf-Watz, H., eds.) Plenum Press, New York, pp. 147-154.
117. Wiedlocha, A., Sandvig, K., Walzel, H., Radzikowsky, C. and Olsnes, S. 1991. Internalization and action of an immunotoxin containing mistletoe lectin A-chain. **Cancer Res.** 51, 916-920.
118. Hansen, S.H., Sandvig, K. and van Deurs, B. 1991. The preendosomal compartment comprises distinct coated and noncoated endocytic vesicle populations. **J. Cell Biol.** 113, 731-743.
119. Sandvig, K., Prydz, K., Ryd, M. and van Deurs, B. 1991. Endocytosis and intracellular transport of the glycolipid binding Shiga toxin in polarized MDCK cells. **J. Cell Biol.** 113, 553-562.
120. Madshus, I.H., Stenmark, H., Sandvig, K. and Olsnes, S. 1991. Entry of diphtheria toxin -protein A chimeras into cells. **J. Biol. Chem.** 266, 17446-17453.
121. Sandvig, K. and Olsnes, S. 1991. Membrane translocation of diphtheria toxin. In "Sourcebook of bacterial protein toxins" (Alouf, J.E. and Freer, J.H., eds.). Academic Press Limited, London, U.K., pp. 57-73.
122. Stenmark, H., Moskaug, J.Ø., Madshus, I.H., Sandvig, K. and Olsnes, S. 1991. Peptides fused to the amino-terminal end of diphtheria toxin are translocated to the cytosol. **J. Cell Biol.** 113, 1025-1032.
123. Sandvig, K., Prydz, K., Hansen, S.H. and van Deurs, B. 1991. Ricin transport in brefeldin A treated cells: Correlation between Golgi structure and toxic effect. **J. Cell Biol.** 115, 971-981.
124. Sandvig, K., Prydz, K. and van Deurs, B. 1992. Endocytic uptake of ricin and Shiga toxin. In "Endocytosis. From cell biology to health, disease and therapy" (Courtoy, P.J., ed.) Springer Verlag, New York, pp. 405-412.
125. van Deurs, B., Hansen, S.H. and Sandvig, K. 1992. Clathrin-independent endocytosis. In "Endocytosis. From cell biology to health, disease and therapy" (Courtoy, P.J., ed.) Springer Verlag, New York, pp. 57-62.
126. Hansen, S.H., Sandvig, K. and van Deurs, B. 1992. Internalization efficiency of the transferrin receptor. **Exp. Cell Res.** 199, 19-28.

127. Sandvig, K. and van Deurs, B. 1992. Toxin-induced cell lysis. Protection by 3-methyladenine and cycloheximide. **Exp. Cell Res.** 200, 253-262.
128. O'Brien, A.D., Tesh, V.L., Donohue-Rolfe, A., Jackson, M.P., Olsnes, S., Sandvig, K., Lindberg, A.A. and Keusch, G. 1992. Shiga toxin: biochemistry, genetics, mode of action and role in pathogenesis. In "Pathogenesis of Shigellosis, Current Topics in Microbiology and Immunology" (Sansonetti, P.J., ed.) Springer-Verlag, Berlin, pp. 65-94.
129. Olsnes, S., Stenmark, H., Moskaug, J.Ø., Ariksen, S.A., Madshus, I.H. and Sandvig, K. 1992. Internalization of diphtheria and related toxins. In Bacterial Protein Toxins, Zbl. Bakt. Suppl. 23, (Witholt et al. eds.), Gustav Fisher, Stuttgart, pp. 341-348.
130. Sandvig, K., Dubinina, E., Garred, Ø., Prydz, K., Kozlov, J.V., Hansen, S.H. and van Deurs, B. 1992. Protein Toxins: Mode of action and cell entry. **Biochem. Soc. Trans.** 20, 724-727.
131. Falnes, P.Ø., Madshus, I.H., Sandvig, K. and Olsnes, S. 1992. Replacement of negative by positive charges in the presumed membrane-inserted part of diphtheria toxin B-fragment. **J. Biol. Chem.** 267, 12284-12290.
132. Prydz, K., Hansen, S.H., Sandvig, K. and van Deurs, B. 1992. Effects of brefeldin A on endocytosis, transcytosis and transport to the Golgi complex in polarized MDCK cells. **J. Cell Biol.** 119, 259-272.
133. Sandvig, K., Garred, Ø., Prydz, K., Kozlov, J.V., Hansen, S.H. and van Deurs, B. 1992. Retrograde transport of endocytosed Shiga toxin to the endoplasmic reticulum. **Nature** 358, 510-512.
134. van Deurs, B., Hansen, S.H., Olsnes, S. and Sandvig, K. 1993. Protein uptake and cytoplasmic access in animal cells. In "Pharmaceutical Biotechnology" (Audus, K.L. and Raub, T.J., eds.), vol. 4: Biological Barriers to Protein Delivery, Plenum publ. corp., New York, pp. 71-104.
135. Hansen, S.H., Sandvig, K. and van Deurs, B. 1993. Clathrin and HA2 adaptors: Effects of potassium depletion, hypertonic medium and cytosol acidification. **J. Cell Biol.** 121, 61-72.
136. Lüdt, J., Sandvig, K. and Olsnes, S. 1993. Rapid increase in pH set point of the Na^+ -in-dependent chloride/bicarbonate antiporter in Vero cells exposed to heat shock. **J. Membr. Biol.** 134, 143-153.
137. Sandvig, K., Dubinina, E., Garred, Ø., Prydz, K., Kozlov, J.V., Hansen, S.H. and van Deurs, B. 1993. Entry of Shiga toxin into cells. **Zbl. Bakt.** 278, 296-305.
138. van Deurs, B., Holm, P.K., Sandvig, K. and Hansen, H.S. 1993. Multivesicular

- bodies in HEp-2 cells are maturing endosomes. **Eur. J. Cell Biol.** 61, 208-224.
139. Hansen, S.H., Sandvig, K. and van Deurs, B. 1993. Molecules internalized by clathrin-independent endocytosis are delivered to endosomes containing transferrin receptors. **J. Cell Biol.** 123, 89-97.
 140. Melby, E.L., Jacobsen, J., Olsnes, S. and Sandvig, K. 1993. Entry of protein toxins in polarized epithelial cells. **Cancer Res.** 53, 1755-1760.
 141. Olsnes, S., van Deurs, B. and Sandvig, K. 1993. Protein toxins acting on intracellular targets: cellular uptake and translocation to the cytosol. **Medical Microbiol. Immunol.** 182, 51-61.
 142. Sandvig, K., Garred, Ø., Holm, P.K. and van Deurs, B. 1993. Endocytosis and intracellular transport of protein toxins. **Biochem. Soc. Trans.** 21, 707-710.
 143. van Deurs, B., Holm, P.K., Sandvig, K. and Hansen, S.H. 1993. Are caveolae involved in clathrin-dependent endocytosis? **Trends Cell Biol.** 3, 249-251.
 144. Holm, P.K., Hansen, S.H., Sandvig, K. and van Deurs, B. 1993. Endocytosis of desmosomal plaques depends on intact filaments and leads to a nondegradative compartments. **Eur. J. Cell Biol.** 62, 362-371.
 145. Madshus, I.H., Wiedlocha, A., and Sandvig, K. 1994. Intermediates in translocation of diphtheria toxin across the plasma membrane. **J. Biol. Chem.** 269, 4648-4652.
 146. Sandvig, K. and van Deurs, B. 1994. Endocytosis without clathrin. **Trends Cell Biol.** 4, 275-277.
 147. Sandvig, K. and van Deurs, B. 1994. Entry of Shiga toxin into cells. In: Bacterial Protein Toxins. (Freer, J., Aitken, R., Alouf, J.E., Boulnois, G., Falmagne, P., Fehrenbach, F., Montecucco, C., Piemont, Y., Rappuoli, R., Wadström, T., and Witholt, B., eds.), Zbl. Bakt. Suppl. 24, Gustav Fischer Verlag, Stuttgart, pp. 365-374.
 148. Wiedlocha, A., Falnes, P.Ø., Madshus, I.H., Sandvig, K. and Olsnes, S. 1994. Dual mode of signal transduction by externally added acidic fibroblast growth factor. **Cell** 76, 1039-1051.
 149. Eker, P., Holm, P.K., van Deurs, B. and Sandvig, K. 1994. Selective regulation of apical endocytosis in polarized MDCK cells by mastoparan and cAMP. **J. Biol. Chem.** 269, 18607-18615.
 150. Eriksen, S., Olsnes, S., Sandvig, K. and Sand, O. 1994. Diphtheria toxin at low pH depolarizes the membrane, increases the membrane conductance and induces a new type of ion channel in Vero cells. **EMBO J.** 13, 4433-4439.

151. Sandvig, K., Ryd, M., Garred, Ø., Schweda, E., Holm, P.K., and van Deurs,B. 1994. Retrograde transport from the Golgi complex to the ER of both Shiga toxin and the nontoxic Shiga B-fragment is regulated by butyric acid and cAMP. **J. Cell Biol.** 126, 53-64.
152. Sandvig, K. and van Deurs, B. 1994. Endocytosis and intracellular sorting of ricin and Shiga toxin. **FEBS Letters** 346, 99-102.
153. Sandvig, K., Garred, Ø., Holm, P.K. and van Deurs, B. 1994. Entry of Shiga toxin into cells. In: Recent advances in Verocytotoxin-producing *Escherichia coli* infections (Karmali, M.A. and Goglio, A.G., eds.) Elsevier Science B.V. pp. 139-146.
154. Holm, P.K., Eker, P., Sandvig, K. and van Deurs, B. 1995. Phorbol myristate acetate selectively stimulates apical endocytosis via protein kinase C in polarized MDCK cells. **Exp. Cell Res.** 217, 157-168.
155. Garred, Ø., Dubinin, E., Holm, P.K., Olsnes, S., van Deurs, B., Kozlov, J.V. and Sandvig, K. 1995. Role of processing and intracellular transport for optimal toxicity of Shiga toxin and toxin mutants. **Exp. Cell Res.** 218, 39-49.
156. van Deurs, B., Holm, P.K., Kayser, L. and Sandvig, K. 1995. Fusion of mature endosomes with preexisting lysosomes in the human carcinoma cell line HEp-2 involves actin microfilaments. **Eur. J. Cell Biol.** 66, 309-323.
157. Garred, Ø., van Deurs, B. and Sandvig, K. 1995. Furin-induced cleavage and activation of Shiga toxin. **J. Biol. Chem.** 270, 10817-10821.
158. Lanzrein, M., Garred, Ø., Olsnes, S. and Sandvig, K. 1995. Diphtheria toxin endocytosis and membrane translocation is dependent on the intact, membrane anchored receptor (HB-EGF precursor): Studies on the cell-associated receptor cleaved by a metalloprotease in TPA-treated cells. **Biochem. J.** 310, 285-289.
159. Eriksen, S., Sand, O., Lanzrein, M., Sandvig, K. and Olsnes, S. 1995. Response from Eriksen et al. **Trends Microbiol.** 3, 167-168.
160. van Deurs, B., Holm, P.K. and Sandvig, K. 1996. Inhibition of the vacuolar H⁺-ATPase with bafilomycin reduces delivery of internalized molecules from mature multivesicular endosomes to lysosomes. **Eur. J. Cell Biol.** 69, 343-350.
161. Sandvig, K., Garred, Ø. and van Deurs, B. 1996. Entry of Shiga toxin into cells. **Zbl. Bakt. Suppl.** 28, 214-215.
162. Sandvig, K. and van Deurs, B. 1996. Endocytosis, intracellular transport and cytotoxic action of Shiga toxin and ricin: From basic cell biology to targeted drug delivery. **Phys. Reviews** 76, 949-966.
163. van Deurs, B., von Bülow, F., Vilhardt, F., Holm, P.K. and Sandvig, K. 1996.

- Destabilization of plasma membrane structure by prevention of actin polymerization. Microtubule-dependent tubulation of the plasma membrane. **J. Cell Sci.** 109, 1655-1665.
164. Sandvig, K., Garred, Ø. and van Deurs, B. 1996. Thapsigargin-induced transport of cholera toxin to the endoplasmic reticulum. **Proc. Natl. Acad. Sci. USA** 93, 12339-12343.
 165. Sandvig, K., Garred, Ø., van Helvoort, A., van Meer, G. and van Deurs, B. 1996. Importance of glycolipid composition for butyric acid-induced sensitization to Shiga toxin and intracellular sorting of toxin in A431 cells. **Mol. Biol. Cell** 7, 1391-1404.
 166. Llorente, A., Garred, Ø., Holm, P.K., Eker, P., Jacobsen, J., van Deurs, B., and Sandvig, K. 1996. Effect of calmodulin antagonists on endocytosis and intracellular transport of ricin in polarized MDCK cells. **Exp. Cell Res.** 227, 298-308.
 167. Sandvig, K., Garred, Ø., and van Deurs, B. 1997. Intracellular transport and processing of protein toxins produced by enteric bacteria. **Adv. Exp. Med. Biol.** 412, 225-232.
 168. Garred, Ø., Dubinin, E., Polesskaya, A., Olsnes, S., Kozlov, J., and Sandvig, K. 1997. Role of the disulfide bond in Shiga toxin A-chain for toxin entry into cells. **J. Biol. Chem.** 272, 11414-11419.
 169. Sandvig, K. Ricin. 1997. In: Guidebook to protein toxins and their use in cell biology (Montecucco, C. and Rappuoli, R., eds.), Oxford University Press, pp. 55-56.
 170. Llorente, A., Rapak, A., Schmid, S.L., van Deurs, B., and Sandvig, K. 1998. Expression of mutant dynamin inhibits toxicity and transport of endocytosed ricin to the Golgi apparatus. **J. Cell Biol.** 140, 553-563.
 171. Vogel, U., Sandvig, K. and van Deurs, B. 1998. Expression of caveolin-1 and polarized formation of caveolae in Caco-2 and MDCK II cells. **J. Cell Sci.** 111, 825-832.
 172. Llorente, A., van Deurs, B. and Sandvig, K. 1998. Transport of apically but not basolaterally internalized ricin to the Golgi apparatus is stimulated by 8-Br-cAMP in MDCK cells. **FEBS Letters.** 431, 200-204.
 173. Rodal, S.K., Skretting, G., Garred, Ø., van Deurs, B. and Sandvig, K. 1999. Extraction of cholesterol with methyl-β-cyclodextrin perturbs formation of clathrin-coated endocytic vesicles. **Mol. Biol. Cell** 10, 961-974.
 174. Vilhardt, F., Nielsen, M., Sandvig, K. and van Deurs, B. 1999. Urokinase-type plasminogen activator receptor (uPAR) is internalized by different mechanisms

- in polarized and nonpolarized MDCK epithelial cells. **Mol. Biol. Cell** 10, 179-195.
175. Berg, K., Selbo, P.K., Prasmickaite, L., Tjelle, T.E., Sandvig, K., Moan, J., Gaudernack, G., Fodstad, Ø., Kjølsrud, S., Anholt, H., Rodal, G.H., Rodal, S.K., and Høgset, A. 1999. Photochemical internalization. A novel technology for delivery of macromolecules into cytosol. **Cancer Res.** 59, 1180-1183.
 176. Skretting, G., Torgersen, M.L., van Deurs, B., and Sandvig, K. 1999. Endocytic mechanisms responsible for uptake of GPI-linked diphtheria toxin receptor. **J. Cell Sci.** 112, 3899-3909.
 177. Sandvig, K., and van Deurs, B. 1999. Endocytosis and intracellular transport of ricin: Recent discoveries. **FEBS Letters.** 452, 67-70.
 178. Llorente, A., van Deurs, B., Garred, Ø., Eker, P. and Sandvig, K. 2000. Apical endocytosis of ricin in MDCK cells is regulated by the cyclooxygenase pathway. **J. Cell Sci.** 113, 1213-1221.
 179. Nicoziani, P., Vilhardt, F., Llorente, A., Hilout, L., Courtoy, P.J., Sandvig, K. and van Deurs, B. 2000. Role for dynamin in late endosome dynamics and trafficking of the cation-independent mannose-6-phosphate receptor. **Mol. Biol. Cell** 11, 481-495.
 180. Sandvig, K., Llorente, A., Rodal, S.K., Eker, P., Garred, Ø., Stahlhut, M., and van Deurs, B. 2000. Apical macropinocytosis in polarized MDCK cells: Regulation by N-ethylmaleimide-sensitive proteins. **Eur. Cell Biol.** 79, 447-457.
 181. Sandvig, K., Grimmer, S., Iversen, T.-G., Rodal, K., Torgersen, M.L., Nicoziani, P., and van Deurs, B. 2000. Ricin transport into cells: Studies of endocytosis and intracellular transport. **Int. J. Med. Microbiol.** 290, 415-420.
 182. Selbo, P.K., Sivam, G., Fodstad, Ø., Sandvig, K., and Berg, K. 2000. Photochemical internalization increases the cytotoxic effect of the immunotoxin MOC31-gelonin. **Int. J. Cancer** 87, 853-859.
 183. Falnes, P.Ø., Ariansen, S., Sandvig, K., and Olsnes, S. 2000. Requirement for prolonged action in the cytosol for optimal protein synthesis inhibition by diphtheria toxin. **J. Biol. Chem.** 275, 4363-4368.
 184. Selbo, P.K., Sandvig, K., Kirveliene, V., and Berg, K. 2000. Release of gelonin from endosomes and lysosomes to cytosol by photochemical internalization. **Biochem. Biophys. Acta** 1475, 307-313.
 185. Stahlhut, M., Sandvig, K. and van Deurs, B. 2000. Caveolae: uniform structures with multiple functions in signalling, cell growth and cancer. **Exp. Cell Res.** 261, 111-118.

186. Falnes, P.O., and Sandvig, K. 2000. Penetration of protein toxins into cells. **Curr. Opin. Cell Biol.** 12, 407-413.
187. Sandvig, K. and van Deurs, B. 2000. Entry of ricin and Shiga toxin into cells: Molecular Mechanisms and Medical Perspectives. **EMBO J.** 19, 5943-5950.
188. Grimmer, S., Iversen, T.-G., van Deurs, B. and Sandvig, K. 2000. Endosome to Golgi transport of ricin is regulated by cholesterol. **Mol. Biol. Cell** 11, 4205-4216.
189. Garred, Ø., Rodal, S.K., van Deurs, B. and Sandvig, K. 2001. Reconstitution of clathrin-independent endocytosis at the apical domain of permeabilized MDCK II cells: Requirement for a Rho-family GTPase. **Traffic** 2, 26-36.
190. Llorente, A., Prydz, K., Sprangers, M., Skretting, G., Kolset, K.-O., Sandvig, K. 2001. Proteoglycan synthesis is increased in cells with impaired clathrin-dependent endocytosis. **J. Cell Sci.** 114, 335-343.
191. Iversen, T.-G., Skretting, G., Llorente, A., Nicoziani, P., van Deurs, B., and Sandvig, K. 2001. Endosome to Golgi transport of ricin is independent of clathrin and of the Rab9- and Rab11-GTPases. **Mol. Biol. Cell** 12, 2099-2107.
192. Selbo, P.K., Sivam, G., Fodstad, Ø., Sandvig, K. and Berg, K. 2001. *In vivo* documentation of photochemical internalization, a novel approach to site specific cancer therapy. **Int. J. Cancer** 92, 761-766.
193. Sandvig, K. and Birkeli, K.A. 2001. Ricin. In: Wiley Encyclopedia Mol. Med. vol. 4, (Creighton, T., eds.) John Wiley & Sons, Inc., New York, USA, pp. 2828-2830.
194. Torgersen, M.L., Skretting, G., van Deurs, B., and Sandvig, K. 2001. Internalization of cholera toxin by different endocytic mechanisms. **J. Cell Sci.** 114, 3737-3747.
195. Sandvig, K. 2001. Shiga toxins. **Toxicon**. 39, 1629-1635.
196. Sandvig, K., Grimmer, S., Lauvrak, S.U., Torgersen, M.L., Skretting, G., van Deurs, B. and Iversen, T.-G. 2002. Pathways followed by ricin and Shiga toxin into cells. **Histochem. Cell Biol.** 117, 131-141.
197. Grimmer, S., van Deurs, B., and Sandvig, K. 2002. Membrane ruffling and macropinocytosis in A431 cells require cholesterol. **J. Cell Sci.** 115, 2953-2962.
198. Sandvig, K. and van Deurs, B. 2002. Membrane Traffic Exploited by Protein Toxins. **Ann. Rev. Cell Dev. Biol.** 18, 1-24.

199. Roepstorff, K., Thomsen, P., Sandvig, K. and van Deurs, B. 2002. Sequestration of EGF receptors in non-caveolar lipid rafts inhibits ligand binding. **J. Biol. Chem.** 277, 18954-18960.
200. Lauvrak, S.U., Llorente, A., Iversen, T.-G., and Sandvig, K. 2002. Selective regulation of the Rab9-independent transport of ricin to the Golgi apparatus by calcium. **J. Cell Sci.** 115, 3449-3456.
201. Sandvig, K. and van Deurs, B. 2002. Transport of protein toxins into cells: Pathways used by ricin, cholera toxin and Shiga toxin. **FEBS Letters** 529, 49-53.
202. van Deurs, B., Roepstorff, K., Hommelgaard, A.M., and Sandvig, K. 2003. Caveolae: anchored, multifunctional platforms in the lipid ocean. **Trends Cell Biol.** 13, 92-100.
203. Birkeli, K. A., Llorente, A., Torgersen, M.L., Keryer, G., Taskén, K., and Sandvig, K. 2003. Endosome to Golgi transport is regulated by protein kinase A type II α . **J. Biol. Chem.** 278, 1991-1997.
204. Tse, S.M.L., Furuya, W., Gold, E., Schreiber, A.D., Sandvig, K., Inman, R.D., and Grinstein, S. 2003. Differential role of actin, clathrin and dynamin in Fc γ receptor-mediated endocytosis and phagocytosis. **J. Biol. Chem.** 278, 3331-3338.
205. Sandvig, K. 2003. Transport of toxins across intracellular membranes. In "Bacterial Protein Toxins" (Burns, D., Barbieri, J., Iglesias, B., and Rappuoli, R., eds.) ASM Press, Washington, DC 20036, pp. 157-172.
206. Sandvig, K. and van Deurs, B. 2003. Cholera toxin internalization and intoxication. (Correspondence) **J. Cell Sci.** 116, 432-433.
207. Iversen, T.-G., Skretting, G., van Deurs, B. and Sandvig, K. 2003. Clathrin-coated pits with long, dynamin-wrapped necks upon expression of a clathrin antisense RNA. **Proc. Natl. Acad. Sci. USA** 100, 5175-5180.
208. Spilsberg, B., van Meer, G., and Sandvig, K. 2003. Role of lipids in the retrograde pathway of ricin intoxication. **Traffic** 4, 544-552.
209. Llorente, A., Lauvrak, S.U., van Deurs, B., and Sandvig, K. 2003. Induction of direct endosome-to-ER transport in CHO cells (ldlf) with a temperature-sensitive defect in ϵ -COP. **J. Biol. Chem.** 278, 35850-35855.
210. Ying, M., Grimmer, S., Iversen, T.-G., van Deurs, B. and Sandvig, K. 2003. Cholesterol loading induces a block in the exit of VSVG from the TGN. **Traffic** 4, 772-784.
211. Sandvig, K., Spilsberg, B., Lauvrak, S.U., Torgersen M.L., Iversen, T.-G., and

- van Deurs. 2004. Pathways followed by protein toxins into cells. **Int. J. Med. Microbiol.** 293, 483-490.
212. Lauvrak, S.U., Torgersen, M.L., and Sandvig, K. 2004. Efficient endosome-to-Golgi transport of Shiga toxin is dependent on dynamin and clathrin. **J. Cell Sci.** 117, 2321-2331.
 213. Sandvig, K., Wälchli, S., and Lauvrak, S.U. 2004. Entry of Shiga toxins into cells. **Topics in current genetics.** 11, 35-54.
 214. Sandvig, K., Lauvrak, S.U., and van Deurs, B. 2005. Host cell penetration and trafficking of protein toxins. In: *Microbial toxins: Molecular and Cellular Biology* (editor T. Proft), Horizon Bioscience, Norfolk, UK. pp. 473-496.
 215. Grimmer, S., Wälchli, S., Ying, M., van Deurs, B., and Sandvig, K. 2005. Golgi vesiculation induced by cholesterol occurs by a dynamin- and cPLA2-dependent mechanism. **Traffic** 6, 144-156.
 216. Spilsberg, B., Hanada, K., and Sandvig, K. 2005. Diphtheria toxin translocation across cellular membranes is regulated by sphingolipids. **Biochem.Biophys. Res.Commun.** 329, 465-473.
 217. Sandvig, K. and van Deurs, B. 2005. Delivery into cells: Lessons learned from plant and bacterial toxins. **Gene Therapy** 12, 865-872.
 218. Guerra, L., Teter, K., Lilley, B.N., Stenerlöv, B., Holmes, R.K., Ploegh, H.L., Sandvig, K., Thelestam, M. and Frisan, T. 2005. Cellular internalisation of cytolethal distending toxin: a new end to a known pathway. **Cell. Microbiol.** 7, 921-934.
 219. Hommelgaard, A.M., Roepstorff, K., Vilhardt, F., Torgersen, M.L., Sandvig, K. and van Deurs, B. 2005. Caveolae: Stable membrane domains with a potential for internalization. **Traffic** 6, 720-724.
 220. Sandvig, K. Pathways used by protein toxins into cells. 2005. **Nova Acta Leopoldina** 92 (nr. 244), 133-139.
 221. Torgersen, M.L., Lauvrak, S.U., and Sandvig, K. 2005. The A-subunit of surface-bound Shiga toxin stimulates clathrin-dependent uptake of the toxin. **FEBS J.** 272, 4103-4113.
 222. Spilsberg, B., Sandvig, K., and Wälchli, S. 2005. Reconstitution of active diphtheria toxin based on a hexahistidine tagged version of the B-fragment produced to high yields in bacteria. **Toxicon** 46, 900-906.
 223. Sandvig, K. The Shiga toxins: Properties and action on cells. 2006. In: *The comprehensive sourcebook of bacterial protein toxins*, third edition (Alouf, Joseph E. and Popoff, Michel R., eds), Academic Press, Elsevier Ltd., Oxford,

- England, Chapter 17, (ISBN 13: 978-0-12-088445-2; ISBN 10: 0-12-088445-3) pp. 310-322.
224. van Deurs, B., Vilhardt, F., Torgersen, M.L., Roepstorff, K., Hommelgaard, A., and Sandvig, K. Role of caveolae and noncaveolar rafts in endocytosis. 2006. In: Lipid rafts and caveolae. From membrane biophysics to cell biology. (Fielding, Christopher J. ed.) Wiley-VHC publishers. Weilheim, Germany (ISBN: 13: 978-3-527-31261-0; ISBN: 3-527-31261-7), pp. 69-89.
 225. Lauvrak, S.U., Wälchli, S., Slagsvold, H.H., Torgersen, M.L., Spilsberg, B., and Sandvig, K. 2006. Shiga toxin regulates its entry in a Syk-dependent manner. **Mol. Biol. Cell** 17, 1096-1109.
 226. Slominska-Wojewodska, M., Gregers, T.F., Wälchli, S. and Sandvig, K. 2006. The α -mannosidase like protein EDEM is involved in translocation of ricin from the endoplasmic reticulum to the cytosol. **Mol. Biol. Cell** 17, 1664-1675.
 227. Utskarpen, A., Slagsvold, H.H., Iversen, T.-G., Wälchli, S., and Sandvig, K. 2006. Retrograde transport of ricin is regulated by Rab6A/A' in a sequential manner. **Traffic** 7, 663-672.
 228. Grimmer, S., Spilsberg, B., Hanada, K., and Sandvig, K. 2006. Depletion of sphingolipids facilitates endosome to Golgi transport of ricin. **Traffic** 7, 1243-1253.
 229. Skånland, S.S., Wälchli, S., Wandiger-Ness, A., and Sandvig, K. 2007. Phosphoinositide-regulated retrograde transport of ricin: Crosstalk between hVps34 and sorting nexins. **Traffic** 8, 297-309.
 230. Bertelsen, V., Breen, K., Sandvig, K., Stang, E., and Madshus, K. 2007. The Cbl-interacting protein TULA inhibits dynamin-dependent endocytosis. **Exp. Cell Res.** 313, 1696-1709.
 231. Kurmanova, A., Llorente, A., Polesskaya, A., Garred, Ø., Olsnes, S., Kozlov, J., and Sandvig, K. 2007. Structural requirements for furin-induced cleavage and activation of Shiga toxin. **Biochem. Biophys. Res. Commun.** 357, 144-149.
 232. Torgersen, M.L., Wälchli, S., Grimmer, S., Skånland, S.S., and Sandvig, K. 2007. PKC δ is activated by Shiga toxin and regulates its transport. **J. Biol. Chem.** 282, 16317-16328.
 233. Llorente, A., van Deurs, B., and Sandvig, S. 2007. Cholesterol regulates prostatesome release from secretary lysosomes in PC-3 human prostate cancer cells. **Eur. J. Cell Biol.** 86, 405-415.
 234. Martín-Acebes, M., González-Magaldi, M., Sandvig, K., Sobrino, F., and Armas-Portela, R. 2007. Productive entry of FMDV into cultured cells requires

- clathrin and is dependent on the presence of plasma membrane cholesterol. **Virology** 369, 105-118.
235. Utskarpen, A., Slagsvold, H.H., Dyve, A.B., Skåland, S.S., and Sandvig, K. 2007. SNX1 and SNX2 mediate retrograde transport of Shiga toxin. **Biochem. Biophys. Res. Commun.** 358, 566-570.
 236. Spilsberg, B., Llorente, A., and Sandvig, K. 2007. Polyunsaturated fatty acids regulate Shiga toxin transport. **Biochem. Biophys. Res. Commun.** 364, 283-288.
 237. Wälchli, S., Skåland, S.S., Gregers, T.F., Lauvrak, S., Torgersen, M.L., Ying, M., Kuroda, S., Maturana, A., and Sandvig, K. 2008. The MAP kinase p38 links Shiga toxin dependent signaling and trafficking. **Mol. Biol. Cell** 19, 95-104.
 238. Sandvig, K., Torgersen M.L., Raa, H.A., and van Deurs, B. 2008. Clathrin-independent endocytosis: from nonexisting to an extreme degree of complexity. (DOI: 10.1007/s00418-007-0376-5) **Histochem. Cell Biol.** 129, 267-276.
 239. Sandvig, K. and van Deurs, B. 2008. Viruses in camouflage. **Nature** 453, 466-467.
 240. Tekle, C. van Deurs, B. Sandvig, K., and Iversen, T.-G. 2008. Cellular trafficking of Quantum dot-ligand bioconjugates and their induction of changes in normal routing of unconjugated ligands. **Nano Letters** 8, 1858-1865.
 241. Døving, K.B., Sandvig, K., and Kasumyan, A. 2009. Ligand-specific induction of endocytosis in taste receptor cells. **J. Exp. Biol.** 212, 42-49.
 242. Skåland, S.S., Wälchli, S., and Sandvig, K. 2009. β -arrestins attenuate p38 mediated endosome to Golgi transport. **Cell. Microbiol.** 11, 796-807.
 243. Raa, H., Grimmer, S., Schwudke, D., Skotland, T., Shevchenko, A., and Sandvig, K. 2009. Glycosphingolipid requirements for endosome-to-Golgi transport of Shiga toxin. **Traffic** 10, 868-882.
 244. Wälchli, S., Åsheim, H.-C., Skåland, S.S., Spilsberg, B., Torgersen, M.L., Rosendal, K.R., Sioud, M., and Sandvig, K. 2009. Characterization of clathrin and syk interaction upon Shiga toxin binding. **Cell. signalling.** 21, 1161-1168.
 245. Iversen, T.-G., Frerker, N., and Sandvig, K. 2009. Quantum dot bioconjugates: Uptake into cells and induction of changes in normal

- cellular transport. **Progr. Biomed. Optics and imaging** 7189, 1-9.
246. Skånlund, S.S., Wälchli, S., Brech, A., and Sandvig, K. 2009. SNX4 in complex with clathrin and dynein: Implications for endosome movement. **PLoS ONE** 4, e5935 (10 pages).
247. Dyve, A.B., Bergan, J., Utskarpen, A., and Sandvig, K. 2009. Sorting nexin 8 regulates endosome-to-Golgi transport. **Biochem. Biophys. Res. Commun.** 390, 109-114.
248. Torgersen, M.L., Engedal, N., Bergan, J., and Sandvig, K. The intracellular journey of Shiga toxins. **Open Toxicology Journal**, Bentham Science, In Press.
249. Sandvig, K., Bergan, J., Dyve, A.B., Skotland, T. and Torgersen, M.L. Endocytosis and retrograde transport of Shiga toxin. **Toxicon**, In Press.
250. Iversen, T.-G., Frerker, N., and Sandvig, K. Endocytosis and intracellular trafficking og quantum dot-ligand bioconjugates. Weissig, V. ed. In Press.
251. Pust, S., Dyve, A.B., Torgersen, M.L., and Sandvig, K. Interplay between toxin transport and flotillin localization. **PloS ONE** In Press.